







MAN

 Code 



D 2866 LF 37 226
 D 2866 LF 38 226
 D 2866 LF 39 226
 D 2866 LF 40 226
 D 2866 LF41 226
 D 2866 LF43 226
 D 2866 LF 45 226
 D 2866 LFG 220
 D 2866 LFG 03 226
 D 2866 LFG 04 226
 D 2866 LFG 05 226
 D 2866 LFG 07 226
 D 2866 LFX 220
 D 2866 LFXG 220
 D 2866 LFZ 220
 D 2866 LFZ/290 220
 D 2866 LFZ/330 220
 D 2866 LFR 220
 D 2866 LH 220
 D 2866 LH 01 222
 D 2866 LH 02 222
 D 2866 LOH 220
 D 2866 LOH 02 220
 D 2866 LOH 03/06/07/20 220
 D 2866 LOH 04 220
 D 2866 LOH 05 220
 D 2866 LOH 08 220
 D 2866 LOH 09 220
 D 2866 LOH 21 226
 D 2866 LOH 22-26 220
 D 2866 LOH 27 226
 D 2866 LOH 28 226
 D 2866 LOH 29 226
 D 2866 LOH 31 226
 D 2866 LOH 32 226
 D 2866 LOH 33 226
 D 2866 LOH 34 226
 D 2866 LOH 35 226
 D 2866 LOH 38 226
 D 2866 LU/330 222

 Code 

D 2866 LU 01 222
 D 2866 LU 03 222
 D 2866 LU 04 222
 D 2866 LU 07 222
 D 2866 LU 08 222
 D 2866 LUH 222
 D 2866 LUH/330 222
 D 2866 LUH 05 222
 D 2866 LUH 20 228
 D 2866 LUH 21 228
 D 2866 LUH 22 228
 D 2866 LUH 23 230
 D 2866 LUH 24 230
 D 2866 LUH 25 230
 D 2866 LUH 26 228
 D 2866 LUH 27 230
 D 2866 LUH 28 230
 D 2866 LUH 29 230
 D 2866 LUH 30 230
 D 2866 LUH 34 230
 D 2866 LUH 35 230
 D 2866 LUH 36 230
 D 2866 LUH 37 230
 D 2866 LUH 50 230
 D 2866 LUH 51 230
 D 2866 LUH 52 230
 D 2866 LUL 230
 D 2866 LUL/330 222
 D 2866 LXF/LXOH/T/TOH 220
 D 2866 LXFG 230
 D 2866 LXU 222
 D 2866 LXUH 222
 D 2866 MKX 220
 D 2866 OH 230
 D 2866 TE 224
 D 2866 TOH/290 220
 D 2866 TOH/310 220
 D 2866 TUH 230
 D 2866 TUH/290 222
 D 2866 TUH 01 222

 Code 

D 2866 TUM 222
 D 2866 UH 222
 D 2866 UH/240 222
 D 2866 UM 222
 D 2866 UM 1 222
 D 2866 UM 2 232
 D 2866 LF03 232
 D 2866 LF04 232
 D 2876 LF 01 232
 D 2876 LF 02 232
 D 2876 LF 03 232
 D 2876 LF 04 232
 D 2876 LF 05 232
 D 2876 LF 06 232
 D 2876 LF 07 232
 D 2876 LF 08 232
 D 2876 LF 09 232
 D 2876 LF 10 232
 D 2876 LF 11 232
 D 2876 LF 12 234
 D 2876 LF 13 234
 D 2876 LF 14 232
 D 2876 LF 17 232
 D 2876 LF 20 232
 D 2876 LF 21 232
 D 2876 LF 22 232
 D 2876 LF 24 232
 D 2876 LF 25 234
 D 2876 LOH 01 232
 D 2876 LOH 02 234
 D 2876 LOH 03 234
 D 2876 LOH 04 234
 D 2876 LOH 05 236
 D 2876 LOH 20 234
 D 2876 LOH 21 234
 D 2876 LUH 01 236
 D 2876 LUH 02 236
 D 2876 LUH 03 236

 Code 

E

E 0836 LOH 01 236
 E 0836 LOH 02 236
 E 0836 LOH 03 236
 E 2542 E 238
 E 2842 LE 238
 E 2866 226
 E 2866 DF 01 226
 E 2866 DF 02 226
 E 2866 DF 03 226
 E 2866 DF 04 226
 E 2866 DOH 01 238
 E 2866 DOH 02 226
 E 2866 DOH 03 226
 E 2866 DOH 04 226
 E 2866 DUH 238
 E 2866 DUH 01 238
 E 2866 DUH 02 238
 E 2866 DUH 03 238
 E 2866 DUH 04 238
 E 2866 E 238
 E 2866 LUH 01 238
 E 2866 LUH 02 238
 E 2866 TE 238
 E 2876 LUH 01 240
 E 2876 LUH 02 240
 E 2876 LUH 03 240

G

G 2866 DUH 01 238
 G 2866 DUH 02 238
 G 2866 DUH 03 238
 G 2866 DUH 04 238
 G 2866 DUH 05 238
 G 2866 DUM 01 238
 G 2866 UH 238
 G 2866 UM 238
 G 2876 DUH 01 240














MAN

 Code 





































 Code 

 Code 




 Code 

MAN					
D 0224 M D 0224 MF	4 Zyl.	3,8 Ltr.	S38360-00 ⑬ 51.00900.6528 D32172-00 51.00900.6424	H50423-00 2x 5103901-0285 103 Ø 	T50423-00 2x 51.90020.0222 (16X) 4703001→ 
D 0224 ME	4 Zyl.	3,8	D32172-00 2x 51.00900.6424	H50423-00 2x 5103901-0285 103 Ø 	
D 0226 M D 0226 ME D 0226 MFA D 0226 MFM D 0226 MFO D 0226 MH D 0226 MK D 0226 MKFA D 0226 ML D 0226 MLE D 0226 MT D 0226 MTE	6 Zyl.	5,7	D32172-00 3x 51.00900.6424	H50423-00 3x 5103901-0285 103 Ø 	
D 0226 MC D 0226 MCF0/170 D 0226 MKF D 0226 MKF/170 D 0226 MKH	6 Zyl.	5,7	S38359-00 ⑬ 51.00900.6404 D32172-00 51.00900.6424	H50423-00 3x 5103901-0285 103 Ø 	T40620-00 51.90020.0222 (24X) 
D 0226 MF	6 Zyl.	5,7	S38361-00 ⑬ 51.00900.6529 D32172-00 51.00900.6424	H50423-00 3x 5103901-0285 103 Ø 	T40620-00 51.90020.0222 (24X) 4703001→ 
D 0824 FL 01 D 0824 LF 01/02 D 0824 LFL 01/02 D 0824 LFL 04-10 D 0824 LFO D 0824 LFO 02 D 0824 LOH 01-05	4 Zyl.	4,6	S38365-00 ⑬ 51.00900.6577 D31277-00 51.00900.6550	H50009-00 2x 51.03901.0379 109 Ø 	T50009-00 2x 51.90020.0381 (8x) 









					
X53000-01 ✕ 2x 51.03905.0148  X53830-01 2x 51.03905.0155 Stahl 		X51011-01 4x 51.08902.0179 	X51010-01 4x 51.08901.0027 	X54548-01 4x 51.05904.0171 	P76495-01 K ← 51.01510.0152 60,4x80x12 RD FPM P76180-01 K → 110x130x14,5 AB FIL LD MVQ P76404-01 K → 51.01510.0151 110x130x13 B SL LD PTFE ACM
X53000-01 ✕ 2x 51.03905.0148  X53830-01 2x 51.03905.0155 Stahl 		X51011-01 4x 51.08902.0179 	X51010-01 4x 51.08901.0027 	X54548-01 4x 51.05904.0171 	P76495-01 K ← 51.01510.0152 60,4x80x12 RD FPM P76180-01 K → 110x130x14,5 AB FIL LD MVQ P76404-01 K → 51.01510.0151 110x130x13 B SL LD PTFE ACM
X53000-01 ✕ 3x 51.03905.0148  X53830-01 3x 51.03905.0155 Stahl 		X51011-01 6x 51.08902.0179 	X51010-01 6x 51.08901.0027 	X54549-01 6x 51.05904.0139 	P76495-01 K ← 51.01510.0152 60,4x80x12 RD FPM P76404-01 K → 51.01510.0151 110x130x13 B SL LD PTFE ACM
X53000-01 ✕ 3x 51.03905.0148  X53830-01 3x 51.03905.0155 Stahl 		X51011-01 6x 51.08902.0179 	X51010-01 6x 51.08901.0027 	X54549-01 6x 51.05904.0139 	P76495-01 K ← 51.01510.0152 60,4x80x12 RD FPM P76404-01 K → 51.01510.0151 110x130x13 B SL LD PTFE ACM
X53000-01 ✕ 3x 51.03905.0148  X53830-01 3x 51.03905.0155 Stahl 		X51011-01 6x 51.08902.0179 	X51010-01 6x 51.08901.0027 	X54548-01 6x 51.05904.0171 	P76495-01 K ← 51.01510.0152 60,4x80x12 RD FPM P76404-01 K → 51.01510.0151 110x130x13 B SL LD PTFE ACM
X53000-01 ✕ 2x 51.03905.0148  X53830-01 2x 51.03905.0155 Stahl 	P76690-00 8x 51.04902.0027	X51011-01 4x 51.08902.0179 	X51010-01 4x 51.08901.0027 	X54548-01 4x 51.05904.0171 	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P76180-01 K → 110x130x14,5 AB FIL LD MVQ P76404-01 K → 51.01510.0151 110x130x13 B SL LD PTFE ACM



MAN					
D 0824 GF D 0824 GF 01 D 0824 GF 02 D 0824 GF03	4 Zyl.	Ltr. 4,6	S31277-00 51.00900.6530 D31277-00 51.00900.6550 B31277-00 51.00900.6590	H50009-00 51.03901.0379 109 Ø	T50009-00 51.90020.0381 (8x)
D 0824 LE D 0824 LFG 01 D 0824 LFO 01	4 Zyl.	4,6	S38365-00 51.00900.6721 D31277-00 51.00900.6550	H50009-00 51.03901.0379 109 Ø	T50009-00 51.90020.0381 (8x)
D 0824 LE 301	4 Zyl.		S37173-00 51.00900.6721 D31277-00 51.00900.6550	H50009-00 51.03901.0379 109 Ø	T50009-00 51.90020.0381 (8x)
D 0824 LF 03 D 0824 LF 04 D 0824 LF 05 D 0824 LF 06 D 0824 LF 07 D 0824 LF 08 D 0824 LF 09 D 0824 LF 10	4 Zyl.	4,6	D31277-00 51.00900.6550	H50009-00 51.03901.0379 109 Ø	
D 0824 LUE 521 D 0824 LUE 522 D 0824 LUE 523	4 Zyl.	4,6	S37174-00 51.00900.6612 D31277-00 51.00900.6550	H50009-00 51.03901.0379 109 Ø	T50009-00 51.90020.0381 (8x)
D 0824 LUE 524 [NEW]	4 Zyl.	4,6	D31277-00 51.00900.6550	H50009-00 51.03901.0379 109 Ø	T50009-00 51.90020.0381 (8x)

⑰ sin anillos de camisa de cilindro / ohne Zylinderlaufbuchsenringe / without cylinder liner rings / sans joints de chemises de cylindre / senza anelli tenuta canna cilindro / без прокладок гильз цилиндров



					
X53000-01 ✗ 51.03905.0148 X53830-01 51.03905.0155 Stahl	P76690-00 51.04902.0027	X51011-01 51.08902.0179	X51010-01 51.08901.0027	X54548-01 51.05904.0171	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P76180-01 K → 110x130x14,5 AB FIL LD MVQ P76404-01 K → 51.01510.0151 110x130x13 B SL LD PTFE ACM
X53000-01 ✗ 51.03905.0148 X53830-01 51.03905.0155 Stahl	P76690-00 51.04902.0027	X51011-01 51.08902.0179	X51010-01 51.08901.0027	X54548-01 51.05904.0171	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P76404-01 K → 51.01510.0151 110x130x13 B SL LD PTFE ACM
X53830-01 51.03905.0155 Stahl		X51011-01 51.08902.0179	X51010-01 51.08901.0027	X54548-01 51.05904.0171	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P76404-01 K → 51.01510.0151 110x130x13 B SL LD PTFE ACM
X53000-01 ✗ 51.03905.0148 X53830-01 51.03905.0155 Stahl		X51011-01 51.08902.0179	X51010-01 51.08901.0027	X54548-01 51.05904.0171	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P76180-01 K → 110x130x14,5 AB FIL LD MVQ
X53830-01 51.03905.0155 Stahl		X51011-01 51.08902.0179	X51010-01 51.08901.0027		P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P76404-01 K → 51.01510.0151 110x130x13 B SL LD PTFE ACM
X53830-01 51.03905.0155 Stahl		X51011-01 51.08902.0179	X51010-01 51.08901.0027	70-31414-10	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P77838-01 K → 51.01510.7001 110x130x13 B SL LD PTFE ACM




MAN				
D 0826 F D 0826 FO D 0826 FO 01 D 0826 FO 02 D 0826 FR D 0826 FR 01 D 0826 FR 02 D 0826 F01 D 0826 F02 D 0826 GF D 0826 GF 01 D 0826 GF 03 D 0826 GFA D 0826 GFA 01 D 0826 GFA 02 D 0826 GFA 03 D 0826 GFA 04 D 0826 GF02 D 0826 GF04 D 0826 OH D 0826 OH 02 D 0826 OH01 D 0826 OH03	6 Zyl. 6,9 Ltr.	S38364-00 51.00900.6531 D31277-00 51.00900.6550	H50009-00 51.03901.0379 109 Ø	T50009-00 51.90020.0381 (8x)
D 0826 FG001 D 0826 FG002 D 0826 LFL D 0826 LFL05 D 0826 LFL10 D 0826 LUE 51 D 0826 LUH 09 D 0826 LUH 11	6 Zyl. 6,9	D31277-00 51.00900.6550	H50009-00 51.03901.0379 109 Ø	
D 0826 LE/LF D 0826 LF 01/02/04-08 D 0826 LF 11/13/15/17/18 D 0826 LFG D 0826 LFG 01-02 D 0826 LFG 06 D 0826 LFG 15-16 D 0826 LFG03-05/07 D 0826 LFL 02-03 D 0826 LFL 06 D 0826 LFL 09 D 0826 LFL07-08 D 0826 LF09 D 0826 LF12 D 0826 LF/217/Silent D 0826 LOH D 0826 LOH 01-13/15/17-19	6 Zyl. 6,9	S36254-00 51.00900.6532 D31277-00 51.00900.6550	H50009-00 51.03901.0379 109 Ø	T50009-00 51.90020.0381 (8x)
D 0826 LE 520 D 0826 LE 521 D 0826 LE 522 D 0826 LE 523 D 0826 LE 524 D 0826 LE 527 D 0826 LE 528 D 0826 LE 530 D 0826 LE 531 D 0826 LE 532	6 Zyl. 6,9	S37175-00 51.00900.6574 D31277-00 51.00900.6550	H50009-00 51.03901.0379 109 Ø	T50009-00 51.90020.0381 (8x)




⑰ sin anillos de camisa de cilindro / ohne Zylinderlaufbuchsenringe / without cylinder liner rings / sans joints de chemises de cylindre / senza anelli tenuta canna cilindro / без прокладок гильз цилиндров



X53000-01 51.03905.0148 X53830-01 51.03905.0155 Stahl	3x	P76690-00 51.04902.0027	12x	X51011-01 51.08902.0179	6x
X53000-01 51.03905.0148 X53830-01 51.03905.0155 Stahl	3x			X51010-01 51.08901.0027	6x
X53000-01 51.03905.0148 X53830-01 51.03905.0155 Stahl	3x	P76690-00 51.04902.0027	12x	X51011-01 51.08902.0179	6x
X53830-01 51.03905.0155 Stahl	3x			X51010-01 51.08901.0027	6x
X53830-01 51.03905.0155 Stahl	3x			X51011-01 51.08902.0179	6x
				X51010-01 51.08901.0027	6x
				70-31414-10	
					P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P76404-01 K → 51.01510.0151 110x130x13 B SL LD PTFE ACM









MAN

MAN					
D 0826 LFL 10	6 Zyl.	6,9 Ltr.	S36254-00 51.00900.6532 D31277-00 51.00900.6550	H50009-00 51.03901.0379 109 Ø	T50009-00 51.90020.0381 (8x)
D 0826 LF12	6 Zyl.	6,9 Ltr.	S36254-00 51.00900.6532 D31277-00 51.00900.6550	H50009-00 51.03901.0379 109 Ø	T50009-00 51.90020.0381 (8x)
D 0826 LUE 501 D 0826 LUE 503 D 0826 TUE 501	6 Zyl.	6,9 Ltr.	D31277-00 51.00900.6550	H50009-00 51.03901.0379 109 Ø	T50009-00 51.90020.0381 (8x)
D 0826 LUH D 0826 LUH 01 D 0826 LUH 02 D 0826 LUH 03 D 0826 LUH 04 D 0826 LUH 05 D 0826 LUH 06 D 0826 LUH 08 D 0826 LUH 10 D 0826 LUH 12 D 0826 LUH 13 D 0826 LUH/213	6 Zyl.	6,9 Ltr.	S36254-00 51.00900.6532 D31277-00 51.00900.6550 B38456-00 51.00900.6605	H50009-00 51.03901.0379 109 Ø	T50009-00 51.90020.0381 (8x)
D 0826 TE 520	6 Zyl.	6,6 Ltr.	S37175-00 51.00900.6574 D31277-00 51.00900.6550	H50009-00 51.03901.0379 109 Ø	T50009-00 51.90020.0381 (8x)
D 0826 TF D 0826 TOH	6 Zyl.	6,6 Ltr.	S36254-00 51.00900.6532 D31277-00 51.00900.6550	H50009-00 51.03901.0379 109 Ø	T50009-00 51.90020.0381 (8x)

⑰ sin anillos de camisa de cilindro / ohne Zylinderlaufbuchsenringe / without cylinder liner rings / sans joints de chemises de cylindre / senza anelli tenuta canna cilindro / без прокладок гильз цилиндров



					
X53000-01 ✗ 51.03905.0148	P76690-00 51.04902.0027	X51011-01 51.08902.0179	X51010-01 51.08901.0027	X54382-01 51.05904.0195 Gummi	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P76404-01 K → 51.01510.0151 110x130x13 B SL LD PTFE ACM
X53830-01 51.03905.0155 Stahl				X54549-01 51.05904.0139	
X53000-01 ✗ 51.03905.0148	P76690-00 51.04902.0027	X51011-01 51.08902.0179	X51010-01 51.08901.0027	X54549-01 51.05904.0139	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P77838-01 K → 51.01510.7001 110x130x13 B SL LD PTFE ACM
X53830-01 51.03905.0155 Stahl					
X53000-01 ✗ 51.03905.0148		X51011-01 51.08902.0179	X51010-01 51.08901.0027	70-31414-10	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P76404-01 K → 51.01510.0151 110x130x13 B SL LD PTFE ACM
X53830-01 51.03905.0155 Stahl					
X53000-01 ✗ 51.03905.0148	P76690-00 51.04902.0027	X51011-01 51.08902.0179	X51010-01 51.08901.0027	X54549-01 51.05904.0139	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P76404-01 K → 51.01510.0151 110x130x13 B SL LD PTFE ACM
X53830-01 51.03905.0155 Stahl					
X53830-01 51.03905.0155 Stahl		X51011-01 51.08902.0179	X51010-01 51.08901.0027	70-31414-10	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P76404-01 K → 51.01510.0151 110x130x13 B SL LD PTFE ACM
X53000-01 ✗ 51.03905.0148	P76690-00 51.04902.0027	X51011-01 51.08902.0179	X51010-01 51.08901.0027	X54549-01 51.05904.0139	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P76404-01 K → 51.01510.0151 110x130x13 B SL LD PTFE ACM
X53830-01 51.03905.0155 Stahl					



MAN					
D 0834 LE302	4 Zyl.	4,6 Ltr.	D38577-00 51.00900.6676	⑱ 2x H40691-00 51.03901.0391 109 Ø 1,3 mm MLS	2x
D 0834 LF 01 [NEW]	4 Zyl.	4,6	S38733-00 51.00900.6740 D38581-00 51.00900.6741	⑫ ⑬ 2x H50009-00 51.03901.0379 109 Ø	2x T40619-00 51.90020.0383 (16x)
D 0834 LF 02 D 0834 LOF 01 D 0834 LOF 02 D 0834 LOF 03 D 0834 LOF 04 [NEW]	4 Zyl.	4,6	S38583-00 51.00900.6762 D38581-00 51.00900.6741	⑫ ⑬ 2x H50009-00 51.03901.0379 109 Ø	2x T40619-00 51.90020.0383 (16x)
D 0834 LFL 01 D 0834 LFL 02 D 0834 LFL 03 D 0834 LFL 04	4 Zyl.	4,6	S38366-00 51.00900.6649 D31277-00 51.00900.6550	⑫ ⑬ 2x H50009-00 51.03901.0379 109 Ø	2x T50009-00 51.90020.0381 (8x)
D 0834 LFL 40 D 0834 LFL 41 D 0834 LFL 42	4 Zyl.	4,6	S37176-00 51.00900.6688 D37176-00 51.00900.6689	⑫ ⑬ ⑰ 2x H50009-00 51.03901.0379 109 Ø	2x T40619-00 51.90020.0383 (16x)
D 0834 LFL 50 D 0834 LFL 51 D 0834 LFL 52 D 0834 LFL 53 D 0834 LFL 54 D 0834 LFL 55	4 Zyl.	4,6	S37178-00 51.00900.6720 D37176-00 51.00900.6689	⑫ ⑬ ⑰ 2x H50009-00 51.03901.0379 109 Ø	2x T40619-00 51.90020.0383 (16x)

⑰ sin anillos de camisa de cilindro / ohne Zylinderlaufbuchsenringe / without cylinder liner rings / sans joints de chemises de cylindre / senza anelli tenuta canna cilindro / без прокладок гильз цилиндров

X53830-01 51.03905.0155 Stahl	2x 	X51011-01 51.08902.0179	4x 	X51010-01 51.08901.0027	4x 				
X83152-01 51.03905.0182	16x 	N93175-00 51.04902.0034 (16x) P76652-00 51.04902.0034	16x 	X89569-01 51.08902.0212	4x 	X59870-01 51.08901.0269	2x 	X59932-01 51.05904.0227	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P77838-01 K → 51.01510.7001 110x130x13 B SL LD PTFE ACM
X83152-01 51.03905.0182	16x 	N93175-00 51.04902.0034 (16x) P76652-00 51.04902.0034	16x 	X89569-01 51.08902.0212	4x 	X59870-01 51.08901.0269	2x 	X59865-01 51.05904.0220	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P77838-01 K → 51.01510.7001 110x130x13 B SL LD PTFE ACM
X53000-01 ✗ 51.03905.0148	2x 	P76690-00 51.04902.0027	8x 	X51011-01 51.08902.0179	4x 	X51010-01 51.08901.0027	4x 	X54381-01 51.05904.0197 Gummi	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P76180-01 K → 110x130x14,5 AB FIL LD MVQ P76404-01 K → 51.01510.0151 110x130x13 B SL LD PTFE ACM
X53830-01 51.03905.0155 Stahl	2x 							X54548-01 51.05904.0171	
X83152-01 51.03905.0182	16x 	P76652-00 51.04902.0034	16x 	X89569-01 51.08902.0212	4x 	X82096-01 51.08901.0200	2x 	X54381-01 51.05904.0197 Gummi	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P76404-01 K → 51.01510.0151 110x130x13 B SL LD PTFE ACM
X83152-01 51.03905.0182	16x 	N93175-00 51.04902.0034 (16x) P76652-00 51.04902.0034	16x 	X89569-01 51.08902.0212	4x 	X82096-01 51.08901.0200	2x 	X54381-01 51.05904.0197 Gummi	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P76404-01 K → 51.01510.0151 110x130x13 B SL LD PTFE ACM

⑱ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров



MAN					
D 0834 LFL 60 D 0834 LFL 61 D 0834 LFL 62 D 0834 LFL 63 D 0834 LFL 64 D 0834 LFL 65 D 0834 LFL 66 D 0834 LFL 67 D 0834 LFL 68	4 Zyl. 4,6	S38710-00 51.00900.6760 D38581-00 51.00900.6741	¹² ¹³ H50009-00 51.03901.0379 109 Ø	2x T40619-00 51.90020.0383 (16x)	
D 0834 LOH 01 D 0834 LOH 02 D 0834 LOH 03	4 Zyl. 4,6	S38367-00 51.00900.6645 D31277-00 51.00900.6550	¹³ H50009-00 51.03901.0379 109 Ø	2x T50009-00 51.90020.0381 (8x)	2x
D 0834 LOH 40 D 0834 LOH 52 D 0834 LOH 53	4 Zyl. 4,6	S37179-00 51.00900.6707 D37176-00 51.00900.6689	¹² ¹³ ¹⁷ H50009-00 51.03901.0379 109 Ø	2x T40619-00 51.90020.0383 (16x)	
D 0834 LOH 50 D 0834 LOH 51	4 Zyl. 4,6	S37179-00 51.00900.6707 D37176-00 51.00900.6689	¹² ¹³ ¹⁷ H50009-00 51.03901.0379 109 Ø	2x T40619-00 51.90020.0383 (16x)	
D 0834 LOH 60 D 0834 LOH 61	4 Zyl. 4,6		H50009-00 51.03901.0379 109 Ø	2x T40619-00 51.90020.0383 (16x)	
D 0836 HM 3 U D 0836 HM 4 D 0836 HM 5 U D 0836 HM 7 D 0836 HM 7 U D 0836 HM 8 U D 0836 HM 9 H D 0836 HM 9 U D 0836 HM 70 D 0836 HM 71 D 0836 HMN 70 D 0836 M 2 D 0836 M 2 A D 0836 M 2 U D 0836 M 3 H	6 Zyl. 7,0	D30212-00 D34212-00 ¹⁸	H00179-00 H50007-00 51.03901.0355 110,7 Ø	3x	

¹⁷ sin anillos de camisa de cilindro / ohne Zylinderlaufbuchsenringe / without cylinder liner rings / sans joints de chemises de cylindre / senza anelli tenuta canna cilindro / без прокладок гильз цилиндров



X83152-01 51.03905.0182	N93175-00 51.04902.0034 (16x) P76652-00 51.04902.0034	X89569-01 51.08902.0212	4x	X59870-01 51.08901.0269	2x	X59865-01 51.05904.0220		P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P77838-01 K → 51.01510.7001 110x130x13 B SL LD PTFE ACM	
X53000-01 ✕ 51.03905.0148	P76690-00 51.04902.0027	X51011-01 51.08902.0179	4x	X51010-01 51.08901.0027	4x	X54548-01 51.05904.0171		P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P77806-01 K ← 51.01510.0228 65x90x13,5 B SL RD FPM Filz P76180-01 K → 110x130x14,5 AB FIL LD MVQ P76404-01 K → 51.01510.0151 110x130x13 B SL LD PTFE ACM	
X53830-01 51.03905.0155 Stahl			2x						
X83152-01 51.03905.0182	N93175-00 51.04902.0034 (16x) P76652-00 51.04902.0034	X89569-01 51.08902.0212	4x	X82096-01 51.08901.0200	2x	X54548-01 51.05904.0171		P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P77838-01 K → 51.01510.7001 110x130x13 B SL LD PTFE ACM	
X83152-01 51.03905.0182	N93175-00 51.04902.0034 (16x) P76652-00 51.04902.0034	X89569-01 51.08902.0212	4x	X82096-01 51.08901.0200	2x	X54548-01 51.05904.0171		P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P76404-01 K → 51.01510.0151 110x130x13 B SL LD PTFE ACM	
X83152-01 51.03905.0182		X89569-01 51.08902.0212	4x	X82096-01 51.08901.0200	2x	X54548-01 51.05904.0171		P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P77838-01 K → 51.01510.7001 110x130x13 B SL LD PTFE ACM	
X00209-01 500045766		X00208-01 51.08901.0087	6x	X00207-01 51.08901.0086	6x				

¹⁸ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une testate / per una testata / для головки блока цилиндров



MAN					
D 0836 LF 01-05 D 0836 LFG 01 D 0836 LFL 01-06 D 0836 LFL 10 D 0836 LOH 04	6 Zyl.	6,9 Ltr.	S38368-00 51.00900.6627 D31277-00 51.00900.6550	H50009-00 51.03901.0379 109 Ø	T50009-00 51.90020.0381 (8x)
D 0836 LF 13 D 0836 LF 15 D 0836 LF 41 D 0836 LF 43 D 0836 LF 44	6 Zyl.	6,9 Ltr.	S38579-00 51.00900.6746 D38582-00 51.00900.6747	H50009-00 51.03901.0379 109 Ø	T40618-00 51.90020.0383 (24x)
D 0836 LFG 50 D 0836 LFL 50 D 0836 LFL 51 D 0836 LFL 52 D 0836 LFL 53 D 0836 LFL 54 D 0836 LFL 55	6 Zyl.	6,9 Ltr.	S38368-00 51.00900.6627 D31277-00 51.00900.6550	H50009-00 51.03901.0379 109 Ø	T50009-00 51.90020.0381 (8x)
D 0836 LFL 08	6 Zyl.	6,9 Ltr.	S37177-00 51.00900.6684 D37177-00 51.00900.6685	H50009-00 51.03901.0379 109 Ø	T40618-00 51.90020.0383 (24x)
D 0836 LFL 40 D 0836 LFL 41 D 0836 LFL 42 D 0836 LFL 44	6 Zyl.	6,9 Ltr.	S38714-00 51.00900.6752 D38585-00 51.00900.6753	H50009-00 51.03901.0379 109 Ø	T40618-00 51.90020.0383 (24x)
D 0836 LFL 61 D 0836 LFL 64	6 Zyl.	6,9 Ltr.		H50009-00 51.03901.0379 109 Ø	T40618-00 51.90020.0383 (24x)

⑰ sin anillos de camisa de cilindro / ohne Zylinderlaufbuchsenringe / without cylinder liner rings / sans joints de chemises de cylindre / senza anelli tenuta canna cilindro / без прокладок гильз цилиндров



X53830-01 51.03905.0155 Stahl	3x	P76690-00 51.04902.0027	12x	X51011-01 51.08902.0179	6x	X51010-01 51.08901.0027	6x	X54382-01 51.05904.0195 Gummi	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P76404-01 K → 51.01510.0151 110x130x13 B SL LD PTFE ACM
X83151-01 51.03905.0167 Gummi		N92470-00 51.04902.0034 (8x) P76652-00 51.04902.0034	3x 24x	X89569-01 51.08902.0212	6x	X59870-01 51.08901.0269	3x	X54382-01 51.05904.0195 Gummi	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P77838-01 K → 51.01510.7001 110x130x13 B SL LD PTFE ACM
X83151-01 51.03905.0167 Gummi		N92470-00 51.04902.0034 (8x) P76652-00 51.04902.0034	3x 24x	X89569-01 51.08902.0212	6x	X82096-01 51.08901.0200	3x	X54382-01 51.05904.0195 Gummi	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P76404-01 K → 51.01510.0151 110x130x13 B SL LD PTFE ACM
X53830-01 51.03905.0155 Stahl	3x			X51011-01 51.08902.0179	6x	X51010-01 51.08901.0027	6x	X54382-01 51.05904.0195 Gummi	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P77838-01 K → 51.01510.7001 110x130x13 B SL LD PTFE ACM
X83151-01 51.03905.0167 Gummi		N92470-00 51.04902.0034 (8x) P76652-00 51.04902.0034	3x 24x	X89569-01 51.08902.0212	6x	X82096-01 51.08901.0200	3x	X54382-01 51.05904.0195 Gummi	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P76404-01 K → 51.01510.0151 110x130x13 B SL LD PTFE ACM
X83151-01 51.03905.0167 Gummi		N92470-00 51.04902.0034 (8x) P76652-00 51.04902.0034	3x 24x	X89569-01 51.08902.0212	6x	X59870-01 51.08901.0269	3x	X59886-01 51.05904.0221 Gummi	P77806-01 K ← 51.01510.0228 65x90x13,5 B SL RD FPM Filz P77838-01 K → 51.01510.7001 110x130x13 B SL LD PTFE ACM
X83151-01 51.03905.0167 Gummi		N92470-00 51.04902.0034 (8x) P76652-00 51.04902.0034	3x 24x	X89569-01 51.08902.0212	6x	X59870-01 51.08901.0269	3x	X59886-01 51.05904.0221 Gummi	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P77838-01 K → 51.01510.7001 110x130x13 B SL LD PTFE ACM



MAN						
D 0836 LFL 62 D 0836 LFL 65 D 0836 LFL 67 D 0836 LFL 68 [NEW]	6 Zyl.	6,9 Ltr.	S38700-00 51.00900.6731 D37177-00 51.00900.6685	H50009-00 51.03901.0379 109 Ø	3x 	T40618-00 51.90020.0383 (24x)
D 0836 LFL 66 [NEW]	6 Zyl.	6,9 Ltr.	S38589-00 51.00900.6783 D38586-00 51.00900.6784	H50009-00 51.03901.0379 109 Ø	3x 	T40618-00 51.90020.0383 (24x)
D 0836 LOH 01 D 0836 LOH 02 D 0836 LOH 03	6 Zyl.	6,9 Ltr.	S38368-00 51.00900.6627 D31277-00 51.00900.6550	H50009-00 51.03901.0379 109 Ø	3x 	T50009-00 51.90020.0381 (8x)
D 0836 LOH 10 D 0836 LOH 11 [NEW]	6 Zyl.	6,9 Ltr.		H50009-00 51.03901.0379 109 Ø	3x 	T40618-00 51.90020.0383 (24x)
D 0836 LOH 40 D 0836 LOH 41	6 Zyl.	6,9 Ltr.		H50009-00 51.03901.0379 109 Ø	3x 	T40618-00 51.90020.0383 (24x)
D 0836 LOH 51 D 0836 LOH 52 D 0836 LOH 53 D 0836 LOH 54 D 0836 LOH 55 D 0836 LOH 56 D 0836 LOH 57 D 0836 LOH 58 D 0836 LOH 60 D 0836 LOH 61 D 0836 LOH 62 D 0836 LOH 63 D 0836 LOH 64 D 0836 LOH 65 [NEW]	6 Zyl.	6,9 Ltr.	S38580-00 51.00900.6743 D38584-00 51.00900.6745	H50009-00 51.03901.0379 109 Ø	3x 	T40618-00 51.90020.0383 (24x)

X83151-01 51.03905.0167 Gummi	N92470-00 51.04902.0034 (8x) P76652-00 51.04902.0034	3x	X89569-01 51.08902.0212	6x	X59870-01 51.08901.0269	3x	X59886-01 51.05904.0221 Gummi	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P77838-01 K → 51.01510.7001 110x130x13 B SL LD PTFE ACM
X83151-01 51.03905.0167 Gummi	N92470-00 51.04902.0034 (8x) P76652-00 51.04902.0034	3x	X89569-01 51.08902.0212	6x	X59870-01 51.08901.0269	3x	X59865-01 51.05904.0220	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P77838-01 K → 51.01510.7001 110x130x13 B SL LD PTFE ACM
X53000-01 ✗ 51.03905.0148	P76690-00 51.04902.0027	3x	X51011-01 51.08902.0179	6x	X51010-01 51.08901.0027	6x	X54382-01 51.05904.0195 Gummi	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P76404-01 K → 51.01510.0151 110x130x13 B SL LD PTFE ACM
X53830-01 51.03905.0155 Stahl		3x					X54549-01 51.05904.0139	
X83151-01 51.03905.0167 Gummi	N92470-00 51.04902.0034 (8x) P76652-00 51.04902.0034	3x	X89569-01 51.08902.0212	6x	X59870-01 51.08901.0269	3x	X59866-01 51.05904.0236	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P77838-01 K → 51.01510.7001 110x130x13 B SL LD PTFE ACM
X83151-01 51.03905.0167 Gummi	P76652-00 51.04902.0034	24x	X89569-01 51.08902.0212	6x			X54549-01 51.05904.0139	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P76404-01 K → 51.01510.0151 110x130x13 B SL LD PTFE ACM
X83151-01 51.03905.0167 Gummi	N92470-00 51.04902.0034 (8x) P76652-00 51.04902.0034	3x	X89569-01 51.08902.0212	6x	X82096-01 51.08901.0200	3x	X54549-01 51.05904.0139	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P77838-01 K → 51.01510.7001 110x130x13 B SL LD PTFE ACM



MAN					
D 0836 LUH 01 D 0836 LUH 02	6 Zyl.	6,9	S38369-00 51.00900.6646 D31277-00 51.00900.6550	H50009-00 51.03901.0379 109 Ø	T50009-00 51.90020.0381 (8x)
D 0836 LUH 40 D 0836 LUH 41	6 Zyl.	6,9		H50009-00 51.03901.0379 109 Ø	T40618-00 51.90020.0383 (24x)
D 0836 LUH 50	6 Zyl.	6,9		H50009-00 51.03901.0379 109 Ø	T40618-00 51.90020.0383 (24x)
D 0846 HM 2 D 0846 HM 42 U D 0846 HM 81 H D 0846 HM 82 U D 0846 HM 91 H D 0846 HM 91 U D 0846 HM 95 U D 0846 HMN D 0846 HMN 2 D 0846 HMN 80 D 0846 HMXH-013 D 0846 HMXU-015 D 0846 HMX-011 D 0846 HMYH D 0846 HMYN-014 D 0846 HMY-011	6 Zyl.	7,3	D30212-00 D34212-00	H00179-00 H50007-00 51.03901.0355 110,7 Ø	
D 2066 LF 01 D 2066 LF 02 D 2066 LF 03 D 2066 LF 04 D 2066 LF 06 D 2066 LF 07 D 2066 LF 11 D 2066 LF 12 D 2066 LF 13 D 2066 LF 14 D 2066 LF 31 D 2066 LF 32 D 2066 LF 33 D 2066 LF 34 D 2066 LF 35 D 2066 LF 36 D 2066 LF 37 D 2066 LF 38 D 2066 LF 39	6 Zyl.	10,5	S37182-00 51.00900.6680 D37182-00 51.00900.6681 R38331-01 51.96501.0534 (2x)	H80791-00 51.03901.0403 121 Ø 1,2 mm	T80791-00 51.90020.0421 (13x)

③ juego de juntas para camisa de cilindro / Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра

X53830-01 51.03905.0155 Stahl	3x	P76690-00 51.04902.0027	12x	X51011-01 51.08902.0179	6x	X51010-01 51.08901.0027	6x	X54969-01 51.05904.0190	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P76404-01 K → 51.01510.0151 110x130x13 B SL LD PTFE ACM
X83461-01 51.03905.0170		N92470-00 51.04902.0034 (8x) P76652-00 51.04902.0034	3x 24x	X89569-01 51.08902.0212	6x	X82096-01 51.08901.0200	3x	X54969-01 51.05904.0190	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P76404-01 K → 51.01510.0151 110x130x13 B SL LD PTFE ACM
X83461-01 51.03905.0170		N92470-00 51.04902.0034 (8x) P76652-00 51.04902.0034	3x 24x	X89569-01 51.08902.0212	6x	X82096-01 51.08901.0200	3x	X54969-01 51.05904.0190	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P77838-01 K → 51.01510.7001 110x130x13 B SL LD PTFE ACM
X00209-01 500045766	3x			X00208-01 51.08901.0087	6x	X00207-01 51.08901.0086	6x		
V83403-00 51.03905.0177 +51.96210.0080 (18x) →05/07		N92960-00 51.04902.0033 P76602-00 51.04902.0033	2x 24x			X82097-01 51.08901.0284 X82098-01 51.08901.0170	6x 6x	X83154-01 51.05904.0212 Gummi	P77475-01 K ← 51.01510.6008 100x130x12 AB RD PTFE P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
V83403-01 51.03905.0177 +51.96210.0080 (10x) +51.96210.0087 (8x) →06/07→									

⑩ con anillos para camisa de cilindro / mit Zylinderlaufbüchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильзы цилиндров
⑪ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une testate / per una testata / для головки блока цилиндров



MAN					
D 2066 LF 17 D 2066 LF 18 D 2066 LF 19 D 2066 LF 20 D 2066 LF 21 D 2066 LF 22 D 2066 LF 23 D 2066 LF 24 D 2066 LF 25 D 2066 LF 26 D 2066 LF 27 D 2066 LF 28 D 2066 LF 29 D 2066 LF 30	6 Zyl.	10,5 Ltr.	S37180-00 ⑫ ⑬ ⑯ 51.00900.6708 → 1414256 S37181-00 ⑫ ⑬ ⑯ 51.00900.6709 → 1414257→ D37180-00 ⑫ 51.00900.6710 → 1414256 D37181-00 ⑫ 51.00900.6711 → 1414257→ R38331-01 ③ 6x 51.96501.0534 (2x) 	H80791-00 51.03901.0403 121 Ø 1,2 mm 	T80791-00 2x 51.90020.0421 (13X)
D 2066 LFG 01	6 Zyl.	10,5 Ltr.	S37182-00 ⑫ ⑬ ⑯ 51.00900.6680 D37182-00 ⑫ 51.00900.6681 R38331-01 ③ 6x 51.96501.0534 (2x) 	H80791-00 51.03901.0403 121 Ø 1,2 mm 	T80791-00 2x 51.90020.0421 (13X)
D 2066 LOH 01 D 2066 LOH 02 D 2066 LOH 03 D 2066 LOH 04 D 2066 LOH 05 D 2066 LOH 06 D 2066 LOH 07 D 2066 LOH 08 D 2066 LOH 10 D 2066 LOH 11 D 2066 LOH 12	6 Zyl.	10,5 Ltr.	S38405-00 ⑫ ⑬ ⑯ 51.00900.6692 D37182-00 ⑫ 51.00900.6681 R38331-01 ③ 6x 51.96501.0534 (2x) 	H80791-00 51.03901.0403 121 Ø 1,2 mm 	T80791-00 2x 51.90020.0421 (13X)
D 2066 LOH 26 [NEW]	6 Zyl.	10,5 Ltr.		H80791-00 51.03901.0403 121 Ø 1,2 mm 	T80791-00 2x 51.90020.0421 (13X)

③ juego de juntas para camisa de cilindro / Dichtsatz Zylindertaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра

⑯ con anillos para camisa de cilindro / mit Zylindertaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров



V83403-00 51.03905.0177 +51.96210.0080 (18x) → 05/07 	N92021-00 AS 51.04902.0036 (12x) → 1414256 N92022-00 AS 51.04902.0035 (12x) → 1414257→ N92960-00 ES 51.04902.0033 P76822-00 AS 12x 51.04902.0036 → 1414256 P76823-00 AS 12x 51.04902.0035 → 1414257→ P76602-00 ES 12x 51.04902.0033		X82097-01 6x 51.08901.0284 X82098-01 6x 51.08901.0170 	X83154-01 51.05904.0212 Gummi 	P77475-01 K ← 51.01510.6008 100x130x12 AB RD PTFE P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
V83403-00 51.03905.0177 +51.96210.0080 (18x) → 05/07 	N92960-00 2x 51.04902.0033 P76602-00 24x 51.04902.0033		X82098-01 6x 51.08901.0170 	X54976-01 51.05904.0204 	P77475-01 K ← 51.01510.6008 100x130x12 AB RD PTFE P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
V83403-00 51.03905.0177 +51.96210.0080 (18x) → 05/07 	P76602-00 24x 51.04902.0033		X82098-01 6x 51.08901.0170 	X54976-01 51.05904.0204 	P77475-01 K ← 51.01510.6008 100x130x12 AB RD PTFE P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
V83403-01 51.03905.0177 +51.96210.0080 (10x) +51.96210.0087 (8x) → 06/07→ 	N92022-00 AS 51.04902.0035 (12x) N92960-00 ES 51.04902.0033 P76602-00 ES 12x 51.04902.0033 P76823-00 AS 12x 51.04902.0035		X82097-01 6x 51.08901.0284 	X54976-01 51.05904.0204 	P77475-01 K ← 51.01510.6008 100x130x12 AB RD PTFE P76497-01 K → 51.01510.0206 120x140x13 LD PTFE

AS lado de escape / Auslaßseite / exhaust side / côté échappement / lato scarico / сторона выпуска

ES lado de admisión / Einlaßseite / intake side / côté admission / lato aspirazione / сторона впуска



MAN					
D 2066 LUH 01-05 D 2066 LUH 07-09 D 2066 LUH 11-18 D 2066 LUH 21-24 D 2066 LUH 26-28 D 2066 LUH 41-43 D 2066 LUH 46-48	6 Zyl.	Ltr. 10,5	S38711-00 51.00900.6738 D38571-01 51.00900.6739 R38331-01 51.96501.0534 (2x)	⑫ ⑬ 6x	H80791-00 51.03901.0403 121 Ø 1,2 mm T80791-00 51.90020.0421 (13x)
D 2146 HM D 2146 HMN D 2146 M 1 D 2146 M 11 D 2146 M 14 D 2146 MT 1	6 Zyl.	9,7			H50008-00 5103901-0260 125 Ø
D 2156 HM 3 D 2156 MTN 1 D 2156 MYN	6 Zyl.	10,3			H50008-00 5103901-0260 125 Ø
D 2530 MF D 2530 MTXF D 2530 MTXF/360 D 2530 MXF	10 Zyl.	15,9	D31278-00 51.00900.6437 D38436-00 51.00900.6273 R38490-00	⑫ ⑬ 10x ⑱ ⑲ ⑳ 10x	H40622-00 51.03901.0268 141 Ø 1,3 mm H50010-00 51.03901.0268 141 Ø MLS
D 2530 MXFR D 2530 MXH	10 Zyl.	15,9	D31278-00 51.00900.6437 D38436-00 51.00900.6273 R38490-00	⑫ ⑬ ⑱ ⑲ ⑳ 10x	H40622-00 51.03901.0268 141 Ø 1,3 mm H50010-00 51.03901.0268 141 Ø MLS

⑬ juego de juntas para camisa de cilindro / Dichtsatz Zylinderaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
 ⑱ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров



X83456-01 51.03905.0157 	6x	N92022-00 AS 51.04902.0035 (12x) N92960-00 ES 51.04902.0033 P76602-00 ES 12x 51.04902.0033 P76823-00 AS 12x 51.04902.0035	X82098-01 51.08901.0170 	6x	X54976-01 51.05904.0204
X83469-01 51.03905.0188 					
X53849-01 51.03903.005 		X00208-01 51.08901.0087 	12x		X02499-01 X02500-01
X53849-01 51.03903.005 		X00208-01 51.08901.0087 	12x		X02499-01 X02500-01
X08233-01 51.03905.0134 	10x	P76542-00 20x 51.04902.0023 P76944-00 10x 51.04902.0028	X51012-01 51.08902.0161 	10x	X08234-01 51.08901.0099
X08233-01 51.03905.0134 	10x	P76944-00 10x 51.04902.0028	X51012-01 51.08902.0161 	10x	X08234-01 51.08901.0099
					X08620-01 51.05904.0134
					P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
					P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE

⑲ con junta de culata MLS / mit Mehrlagen-Zylinderkopfdichtung / with multilayer cylinder head gasket / avec joint de culasse multifeuilles / con guarnizione testata multistrato / с многослойной прокладкой головки блока цилиндров
 AS lado de escape / Auslaßseite / exhaust side / côté échappement / lato scarico / сторона выпуска
 ES lado de admisión / Einlaßseite / intake side / côté admission / lato aspirazione / сторона впуска



MAN					
D 2538 M D 2538 MF D 2538 MT	8 Zyl.	12,8 Ltr.	D31278-00 51.00900.6437 D38436-00 51.00900.6273 R38490-00	⑫ ⑮ 8x ⑮ ⑰ ③ 8x	H40622-00 51.03901.0268 141 Ø 1,3 mm H50010-00 51.03901.0268 141 Ø MLS
D 2542 MLE D 2542 MTE	12 Zyl.	20,9	D31278-00 51.00900.6437 D38436-00 51.00900.6273 R38490-00	⑫ ⑮ 12x ⑮ ⑰ ③ 12x	H40622-00 51.03901.0268 141 Ø 1,3 mm H50010-00 51.03901.0268 141 Ø MLS
D 2555 M D 2555 MF D 2555 MX D 2555 MXF D 2555 MXUL	5 Zyl.	9,2	D31278-00 51.00900.6437 D38436-00 51.00900.6273 R38490-00	⑫ ⑮ 5x ⑮ ⑰ ③ 5x	H40622-00 51.03901.0268 141 Ø 1,3 mm H50010-00 51.03901.0268 141 Ø MLS
D 2556 M D 2556 MF D 2556 MX D 2556 MXF	6 Zyl.	11,0	S38349-00 51.00900.6600 +51.00900.6570 (6x) +51.01510.6004 +51.02130.0032 D31278-00 51.00900.6437 D38436-00 51.00900.6273 R38490-00	⑬ ⑰ ⑱ ⑫ ⑮ 6x ⑮ ⑰ ③ 6x	H40622-00 51.03901.0268 141 Ø 1,3 mm H50010-00 51.03901.0268 141 Ø MLS

⑫ juego de juntas para camisa de cilindro / Dichtsatz Zylinderaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра

⑮ con anillos para camisa de cilindro / mit Zylinderaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров

⑱ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров



X08233-01 51.03905.0134 	8x	P76542-00 51.04902.0023 P76944-00 51.04902.0028	16x 16x	X51012-01 51.08902.0161 	X08234-01 51.08901.0099
X08233-01 51.03905.0134 	12x	P76542-00 51.04902.0023 P76944-00 51.04902.0028	24x ES 12x	X51012-01 51.08902.0161 	X08234-01 51.08901.0099
X08233-01 51.03905.0134 	5x	P76542-00 51.04902.0023	10x	X51012-01 51.08902.0161 	X08234-01 51.08901.0099
X08233-01 51.03905.0134 	6x	P76542-00 51.04902.0023	12x	X51012-01 51.08902.0161 	X08234-01 51.08901.0099
					X08239-01 51.05904.0127
					X54080-01 51.05904.0133
					X54093-01 51.05904.0131
					X54094-01 51.05904.0132

⑱ con junta de culata MLS / mit Mehrlagen-Zylinderkopfdichtung / with multilayer cylinder head gasket / avec joint de culasse multifeuilles / con guarnizione testata multistrato / с многослойной прокладкой головки блока цилиндров

ES lado de admisión / Einlaßseite / intake side / côté admission / lato aspirazione / сторона впуска



MAN					
D 2556 MXUH/175 D 2556 MXUH/192 D 2556 MXUH/240 D 2556 MXUM	6 Zyl.	11,0 Ltr.	S38351-00 51.00900.6595 +51.00900.6570 (6x) +51.01510.6004 +51.02130.0032 D31278-00 51.00900.6437 D38436-00 51.00900.6273 R38490-00	H40622-00 51.03901.0268 141 Ø 1,3 mm H50010-00 51.03901.0268 141 Ø MLS	6x 6x 6x
D 2565 M D 2565 MF D 2565 MFR D 2565 MF/168 D 2565 MSFV D 2565 M/168	5 Zyl.	9,5	D31278-00 51.00900.6437 D38436-00 51.00900.6273 R38490-00	H40622-00 51.03901.0268 141 Ø 1,3 mm H50010-00 51.03901.0268 141 Ø MLS	5x 5x 5x
D 2565 ME	5 Zyl.	9,5	D31278-00 51.00900.6437	H50010-00 51.03901.0268 141 Ø MLS	5x 5x
D 2565 MH D 2565 MHO D 2565 MR	5 Zyl.	9,5	D31278-00 51.00900.6437 D38436-00 51.00900.6273 R38490-00	H40622-00 51.03901.0268 141 Ø 1,3 mm H50010-00 51.03901.0268 141 Ø MLS	5x 5x 5x

③ juego de juntas para camisa de cilindro / Dichtsatz Zylinderaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
 ⑬ con anillos para camisa de cilindro / mit Zylinderaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильзы цилиндров



X08233-01 51.03905.0134	6x	P76542-00 51.04902.0023	12x	X51012-01 51.08902.0161	6x
X08234-01 51.08901.0099	6x	X54094-01 51.05904.0132	6x	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE	
X08233-01 51.03905.0134	5x	X51012-01 51.08902.0161	5x	X08234-01 51.08901.0099	5x
X54093-01 51.05904.0131	5x	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE			
X08233-01 51.03905.0134	5x	X51012-01 51.08902.0161	5x	X08234-01 51.08901.0099	5x
X54093-01 51.05904.0131	5x	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE			
X08233-01 51.03905.0134	5x	X51012-01 51.08902.0161	5x	X08234-01 51.08901.0099	5x
X54093-01 51.05904.0131	5x	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE			

⑬ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров
 ⑱ con junta de culata MLS / mit Mehrlagen-Zylinderkopfdichtung / with multilayer cylinder head gasket / avec joint de culasse multifeuilles / con guarnizione testata multistrato / с многослойной прокладкой головки блока цилиндров



MAN					
D 2565 MUL	5 Zyl.	9,5 Ltr.	S38351-00 ⑬ ⑯ ⑰ 51.00900.6595 +51.00900.6570 (6x) +51.01510.6004 +51.02130.0032 D31278-00 ⑫ ⑱ 5x 51.00900.6437 D38436-00 ⑱ ⑲ 51.00900.6273 B38452-00 51.00900.6595 +51.01510.6004 +51.02130.0032 R38490-00 ③ 6x	H40622-00 6x 51.03901.0268 141 Ø 1,3 mm H50010-00 5x 51.03901.0268 141 Ø MLS 	T50552-00 6x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x) ➔ 4680001➔ T50552-00 6x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x) ➔ 5124001➔
D 2566 D 2566 M D 2566 MF D 2566 MF/220 D 2566 MH D 2566 MHO D 2566 MSFV	6 Zyl.	11,4	S38349-00 ⑬ ⑯ ⑰ 51.00900.6600 +51.00900.6570 (6x) +51.01510.6004 +51.02130.0032 D31278-00 ⑫ ⑱ 6x 51.00900.6437 D38436-00 ⑱ ⑲ 51.00900.6273 R38490-00 ③ 6x	H40622-00 6x 51.03901.0268 141 Ø 1,3 mm H50010-00 6x 51.03901.0268 141 Ø MLS 	T50552-00 6x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x) ➔ 4750001➔
D 2566 ME D 2566 MUE D 2566 MXF	6 Zyl.	11,4	D31278-00 ⑫ ⑱ 6x 51.00900.6437	H50010-00 6x 51.03901.0268 141 Ø MLS 	
D 2566 MFO D 2566 MFOR D 2566 MFR D 2566 MR	6 Zyl.	11,4	S38349-00 ⑬ ⑯ ⑰ 51.00900.6600 +51.00900.6570 (6x) +51.01510.6004 +51.02130.0032 D31278-00 ⑫ ⑱ 51.00900.6437 D38436-00 ⑱ ⑲ 51.00900.6273 R38490-00 ③ 6x	H40622-00 6x 51.03901.0268 141 Ø 1,3 mm H50010-00 6x 51.03901.0268 141 Ø MLS 	T50552-00 6x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x) ➔ 4750001➔

③ juego de juntas para camisa de cilindro / Dichtsatz Zylinderaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
 ⑬ con anillos para camisa de cilindro / mit Zylinderaufbüchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров



X08233-01 5x 51.03905.0134 		X51012-01 5x 51.08902.0161 	X08234-01 5x 51.08901.0099 	X54094-01 51.05904.0132 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 6x 51.03905.0134 	P76542-00 12x 51.04902.0023	X51012-01 6x 51.08902.0161 	X08234-01 6x 51.08901.0099 	X54094-01 51.05904.0132 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 6x 51.03905.0134 	P76542-00 12x 51.04902.0023	X51012-01 6x 51.08902.0161 	X08234-01 6x 51.08901.0099 	X54094-01 51.05904.0132 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 6x 51.03905.0134 		X51012-01 6x 51.08902.0161 	X08234-01 6x 51.08901.0099 	X54094-01 51.05904.0132 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE

⑱ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров
 ⑱ con junta de culata MLS / mit Mehrlagen-Zylinderkopfdichtung / with multilayer cylinder head gasket / avec joint de culasse multifeuilles / con guarnizione testata multistrato / с многослойной прокладкой головки блока цилиндров




MAN					
D 2566 MK D 2566 MKF D 2566 MKF/280 D 2566 MK/280	6 Zyl.	11,4 Ltr.	S38350-00 ⑬ ⑯ ⑰ 51.00900.6598 +51.00900.6570 (6x) +06.56341.2129 (2x) +51.01510.6004 +51.02130.0032 D31278-00 ⑫ ⑱ 6x 51.00900.6437 D38436-00 ⑱ ⑲ 51.00900.6273 B38449-00 ⑬ ⑯ 51.00900.6598 R38490-00 ③ 6x	H40622-00 6x 51.03901.0268 141 Ø 1,3 mm H50010-00 6x 51.03901.0268 141 Ø MLS	T50552-00 6x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x) ➔ 4729001➔
D 2566 MKH	6 Zyl.	11,4	S38350-00 ⑬ ⑯ ⑰ 51.00900.6598 +51.00900.6570 (6x) +06.56341.2129 (2x) +51.01510.6004 +51.02130.0032 D31278-00 ⑫ ⑱ 51.00900.6437 D38436-00 ⑱ ⑲ 51.00900.6273 B38449-00 ⑬ ⑯ 51.00900.6598 R38490-00 ③ 6x	H40622-00 6x 51.03901.0268 141 Ø 1,3 mm H50010-00 6x 51.03901.0268 141 Ø MLS	T50552-00 6x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x) ➔ 4729001➔
D 2566 MKUH/320 D 2566 MKUL D 2566 UH D 2566 UH/205	6 Zyl.	11,4	D31278-00 ⑫ ⑱ 6x 51.00900.6437 D38436-00 ⑱ ⑲ 51.00900.6273 R38490-00 ③ 6x	H40622-00 6x 51.03901.0268 141 Ø 1,3 mm H50010-00 6x 51.03901.0268 141 Ø MLS	T50552-00 6x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x) ➔ 4729140➔
D 2566 MLUH D 2566 MLUM D 2566 MLUM/US D 2566 MUH D 2566 MUH/175 D 2566 MUH/192 D 2566 MUH/200 D 2566 MUH/220 D 2566 MUH/240 D 2566 MUL D 2566 MUM D 2566 MUM/200 D 2566 MUM/220 D 2566 MUM/240	6 Zyl.	11,4	S38351-00 ⑬ ⑯ ⑰ 51.00900.6595 +51.00900.6570 (6x) +51.01510.6004 +51.02130.0032 D31278-00 ⑫ ⑱ 6x 51.00900.6437 D38436-00 ⑱ ⑲ 51.00900.6273 B38452-00 51.00900.6595 +51.01510.6004 +51.02130.0032 R38490-00 ③ 6x	H40622-00 6x 51.03901.0268 141 Ø 1,3 mm H50010-00 6x 51.03901.0268 141 Ø MLS	









③ juego de juntas para camisa de cilindro / Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
 ⑬ con anillos para camisa de cilindro / mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров



X08233-01 6x 51.03905.0134	P76542-00 12x 51.04902.0023	X51012-01 6x 51.08902.0161	X08234-01 6x 51.08901.0099	X54094-01 6x 51.05904.0132	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 6x 51.03905.0134		X51012-01 6x 51.08902.0161	X08234-01 6x 51.08901.0099	X54094-01 6x 51.05904.0132	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 6x 51.03905.0134	P76542-00 12x 51.04902.0023	X51012-01 6x 51.08902.0161	X08234-01 6x 51.08901.0099	X54094-01 6x 51.05904.0132	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 6x 51.03905.0134	P76542-00 12x 51.04902.0023	X51012-01 6x 51.08902.0161	X08234-01 6x 51.08901.0099	X54094-01 6x 51.05904.0132	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE























⑱ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров
 ⑲ con junta de culata MLS / mit Mehrlagen-Zylinderkopfdichtung / with multilayer cylinder head gasket / avec joint de culasse multifeuilles / con guarnizione testata multistrato / с многослойной прокладкой головки блока цилиндров



MAN					
D 2566 MT D 2566 MTF D 2566 MTFG D 2566 MTH D 2566 MTHO D 2566 MTSF	6 Zyl.	Ltr. 11,4	S38352-00 ⑬ ⑯ ⑰ 51.00900.6598 +51.00900.6570 (6x) +51.01510.6004 +51.02130.0032 +51.96601.0382 D31278-00 ⑫ ⑱ 6x 51.00900.6437 D38436-00 ⑱ ⑲ 51.00900.6273 B38449-00 ⑬ ⑯ 51.00900.6598 R38490-00 ③ 6x 	H40622-00 6x 51.03901.0268 141 Ø 1,3 mm H50010-00 6x 51.03901.0268 141 Ø MLS 	
D 2566 MTE	6 Zyl.	11,4	D31278-00 ⑫ ⑱ 6x 51.00900.6437 D38436-00 ⑱ ⑲ 6x 51.00900.6273	H50010-00 6x 51.03901.0268 141 Ø MLS 	
D 2566 MTUH	6 Zyl.	11,4	D31278-00 ⑫ ⑱ 6x 51.00900.6437 D38436-00 ⑱ ⑲ 51.00900.6273 B38450-00 ⑬ ⑯ 51.00900.6596 +51.01510.6004 +51.02130.0032 R38490-00 ③ 6x	H40622-00 6x 51.03901.0268 141 Ø 1,3 mm H50010-00 6x 51.03901.0268 141 Ø MLS 	
D 2566 MUK	6 Zyl.	11,4	D31278-00 ⑫ ⑱ 51.00900.6437 D38436-00 ⑱ ⑲ 51.00900.6273 R38490-00 ③ 6x	H40622-00 6x 51.03901.0268 141 Ø 1,3 mm H50010-00 6x 51.03901.0268 141 Ø MLS 	T50552-00 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x) ➔ 4729140➔

③ juego de juntas para camisa de cilindro / Dichtsatz Zylinderaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
 ⑬ con anillos para camisa de cilindro / mit Zylinderaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров



					
X08233-01 6x 51.03905.0134 	P76542-00 12x 51.04902.0023	X51012-01 6x 51.08902.0161 	X08234-01 6x 51.08901.0099 	X54094-01 6x 51.05904.0132 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 6x 51.03905.0134 	P76542-00 12x 51.04902.0023	X51012-01 6x 51.08902.0161 	X08234-01 6x 51.08901.0099 	X54094-01 6x 51.05904.0132 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 6x 51.03905.0134 	P76542-00 12x 51.04902.0023	X51012-01 6x 51.08902.0161 	X08234-01 6x 51.08901.0099 X81361-01 12x 51.08901.0067 	X54094-01 6x 51.05904.0132 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 6x 51.03905.0134 		X51012-01 6x 51.08902.0161 	X08234-01 6x 51.08901.0099 	X54094-01 6x 51.05904.0132 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE

⑱ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров
 ⑲ con junta de culata MLS / mit Mehrlagen-Zylinderkopfdichtung / with multilayer cylinder head gasket / avec joint de culasse multifeuilles / con guarnizione testata multistrato / с многослойной прокладкой головки блока цилиндров



MAN					
D 2676 LF 01 D 2676 LF 02 D 2676 LF 05 [NEW]	6 Zyl.	12,4 Ltr.	S37184-00 ⑫ ⑬ ⑯ 51.00900.6713 D37184-00 ⑫ 51.00900.6715 	H80792-00 51.03901.0402 	T80791-00 2x 51.90020.0421 (13x)
D 2676 LF 03 D 2676 LF 04 D 2676 LF 13 [NEW]	6 Zyl.	12,4	S37183-00 ⑫ ⑬ ⑯ 51.00900.6712 → 1414256 S37184-00 ⑫ ⑬ ⑯ 51.00900.6713 → 1414257 D37183-00 ⑫ 51.00900.6714 → 1414256 D37184-00 ⑫ 51.00900.6715 → 1414257 	H80792-00 51.03901.0402 	T80791-00 2x 51.90020.0421 (13x)
D 2676 LF 11 D 2676 LF 12 D 2676 LF 14 D 2676 LF 15 D 2676 LF 16	6 Zyl.	12,4	S37183-00 ⑫ ⑬ ⑯ 51.00900.6712 → 1414256 S37184-00 ⑫ ⑬ ⑯ 51.00900.6713 → 1414257 D37183-00 ⑫ 51.00900.6714 → 1414256 D37184-00 ⑫ 51.00900.6715 → 1414257 R38331-01 ③ 6x 51.96501.0534 (2x)	H80792-00 51.03901.0402 	T80791-00 2x 51.90020.0421 (13x)
D 2676 LF 21 [NEW]	6 Zyl.	12,4	D38740-00 ⑫ 51.00900.6770	H80792-00 51.03901.0402 	T80791-00 2x 51.90020.0421 (13x)

③ juego de juntas para camisa de cilindro / Dichtsatz Zylinderaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
 ⑯ con anillos para camisa de cilindro / mit Zylinderaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров



V83403-00 51.03905.0177 +51.96210.0080 (18x) → 05/07 	N92022-00 AS 51.04902.0035 (12x) N92960-00 ES 51.04902.0033 P76602-00 ES 12x 51.04902.0033 P76823-00 AS 12x 51.04902.0035	X82097-01 6x 51.08901.0284 	X83154-01 6x 51.05904.0212 Gummi 	P77475-01 K ← 51.01510.6008 100x130x12 AB RD PTFE P76497-01 K → 51.01510.0206 120x140x13 LD PTFE	
V83403-01 51.03905.0177 +51.96210.0080 (10x) +51.96210.0087 (8x) → 06/07 → 	N92021-00 AS 51.04902.0036 (12x) → 1414256 N92022-00 AS 51.04902.0035 (12x) → 1414257 N92960-00 ES 51.04902.0033 P76822-00 AS 12x 51.04902.0036 → 1414256 P76823-00 AS 12x 51.04902.0035 → 1414257 P76602-00 ES 12x 51.04902.0033	X82097-01 6x 51.08901.0284 	X83154-01 6x 51.05904.0212 Gummi 	P77475-01 K ← 51.01510.6008 100x130x12 AB RD PTFE P76497-01 K → 51.01510.0206 120x140x13 LD PTFE	
V83403-00 51.03905.0177 +51.96210.0080 (18x) → 05/07 	N92021-00 AS 51.04902.0036 (12x) → 1414256 N92022-00 AS 51.04902.0035 (12x) → 1414257 N92960-00 ES 51.04902.0033 P76822-00 AS 12x 51.04902.0036 → 1414256 P76823-00 AS 12x 51.04902.0035 → 1414257 P76602-00 ES 12x 51.04902.0033	X82097-01 6x 51.08901.0284 	X83154-01 6x 51.05904.0212 Gummi 	P77475-01 K ← 51.01510.6008 100x130x12 AB RD PTFE P76497-01 K → 51.01510.0206 120x140x13 LD PTFE	
V83403-01 51.03905.0177 +51.96210.0080 (10x) +51.96210.0087 (8x) → 06/07 → 	N92021-00 AS 51.04902.0036 (12x) → 1414256 N92022-00 AS 51.04902.0035 (12x) → 1414257 N92960-00 ES 51.04902.0033 P76822-00 AS 12x 51.04902.0036 → 1414256 P76823-00 AS 12x 51.04902.0035 → 1414257 P76602-00 ES 12x 51.04902.0033	X82097-01 6x 51.08901.0284 	X83154-01 6x 51.05904.0212 Gummi 	P77475-01 K ← 51.01510.6008 100x130x12 AB RD PTFE P76497-01 K → 51.01510.0206 120x140x13 LD PTFE	
V83403-01 51.03905.0177 +51.96210.0080 (10x) +51.96210.0087 (8x) → 06/07 → 	N92022-00 AS 51.04902.0035 (12x) N92960-00 ES 51.04902.0033 P76602-00 ES 12x 51.04902.0033 P76823-00 AS 12x 51.04902.0035	X82097-01 6x 51.08901.0284 		P77475-01 K ← 51.01510.6008 100x130x12 AB RD PTFE P77853-01 K → 51.01510-6010 115x140x12 A SL LD	

AS lado de escape / Auslaßseite / exhaust side / côté échappement / lato scarico / сторона выпуска
 ES lado de admisión / Einlaßseite / intake side / côté admission / lato aspirazione / сторона впуска



MAN					
D 2676 LOH 01 D 2676 LOH 02 D 2676 LOH 03 D 2676 LOH 04 D 2676 LOH 10	6 Zyl.	Ltr. 12,4	S38406-00 ⑫ ⑬ ⑯ 51.00900.6696 D38406-00 ⑫ 51.00900.6695 R38331-01 ③ 6x 51.96501.0534 (2x)	H80792-00 51.03901.0402 	T80791-00 2x 51.90020.0421 (13X)
D 2676 LOH 27 [NEW]	6 Zyl.	12,4	S38762-00 ⑫ ⑬ ⑯ 51.00900.6771 D38737-00 ⑫ 51.00900.6772 R38331-01 ③ 6x 51.96501.0534 (2x)	H80792-00 51.03901.0402 	T80791-00 2x 51.90020.0421 (13X)
D 2840 LE D 2840 LXE	10 Zyl.	18,3	D31279-00 ⑫ ⑱ 10x 51.00900.6558 D38437-00 ⑱ ⑲ 51.00900.6629 B31279-00 ⑬ ⑯ 51.00900.6583 +51.01510.6004 +51.02130.0032 R31279-00 ③ 10x	H40623-00 10x 51.03901.0298 144,5 Ø 1,25 mm MLS H50012-00 10x 51.03901.0338 144,5 Ø 	T50552-00 10x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x)
D 2840 LF 01 D 2840 LF 04 D 2840 LF 06 D 2840 LF 20 D 2840 LF 460	10 Zyl.	18,2	S31279-00 ⑬ 51.00900.6558 (10x) +51.00900.6583 +51.01510.6004 +51.02130.0032 D31279-00 ⑫ ⑱ 10x 51.00900.6558 D38437-00 ⑱ ⑲ 51.00900.6629 B31279-00 ⑬ ⑯ 51.00900.6583 +51.01510.6004 +51.02130.0032 R31279-00 ③ 10x	H40623-00 10x 51.03901.0298 144,5 Ø 1,25 mm MLS H50012-00 10x 51.03901.0338 144,5 Ø 	T50552-00 10x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x)

③ juego de juntas para camisa de cilindro / Dichtsatz Zylindertaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра

⑬ con anillos para camisa de cilindro / mit Zylindertaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров

⑱ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров














V83403-00 51.03905.0177 +51.96210.0080 (18x) ① →05/07 V83403-01 51.03905.0177 +51.96210.0080 (10x) +51.96210.0087 (8x) ① 06/07→ 	N92960-00 2x 51.04902.0033 P76602-00 24x 51.04902.0033		X82098-01 6x 51.08901.0170 	X54976-01 51.05904.0204 	P77475-01 K ← 51.01510.6008 100x130x12 AB RD PTFE P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
V83403-01 51.03905.0177 +51.96210.0080 (10x) +51.96210.0087 (8x) 	N92022-00 AS 51.04902.0035 (12x) N92960-00 ES 51.04902.0033 P76602-00 ES 12x 51.04902.0033 P76823-00 AS 12x 51.04902.0035		X82097-01 6x 51.08901.0284 		P77475-01 K ← 51.01510.6008 100x130x12 AB RD PTFE P77853-01 K → 51.01510-6010 115x140x12 A SL LD
X08233-01 10x 51.03905.0134 		X51012-01 10x 51.08902.0161 	X08234-01 10x 51.08901.0099 	X08620-01 51.05904.0134 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 10x 51.03905.0134 		X51012-01 10x 51.08902.0161 	X08234-01 10x 51.08901.0099 	X08620-01 51.05904.0134 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE

⑱ con junta de culata MLS / mit Mehrlagen-Zylinderkopfdichtung / with multilayer cylinder head gasket / avec joint de culasse multifeuilles / con guarnizione testata multistrato / с многослойной прокладкой головки блока цилиндров

AS lado de escape / Auslaßseite / exhaust side / côté échappement / lato scarico / сторона выпуска
























ES lado de admisión / Einlaßseite / intake side / côté admission / lato aspirazione / сторона впуска



MAN					
D 2840 LF 03 D 2840 LF 420 D 2840 LF 520 D 2840 LXF [NEW]	10 Zyl.	18,3 Ltr.	S31279-00 ⑬ 51.00900.6558 (10x) +51.00900.6583 +51.01510.6004 +51.02130.0032 D31279-00 ⑫ ⑱ 10x 51.00900.6558	H50012-00 10x 51.03901.0338 144,5 Ø 	T50552-00 10x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x)
D 2840 LF 21	10 Zyl.	18,3 Ltr.	S31279-00 ⑬ 51.00900.6558 (10x) +51.00900.6583 +51.01510.6004 +51.02130.0032 D31279-00 ⑫ ⑱ 10x 51.00900.6558 D38437-00 ⑱ ⑲ 51.00900.6629 B31279-00 ⑬ ⑲ 51.00900.6583 +51.01510.6004 +51.02130.0032 R31279-00 ③ 10x	H40623-00 10x 51.03901.0298 144,5 Ø 1,25 mm MLS  H50012-00 10x 51.03901.0338 144,5 Ø 	T50552-00 10x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x)
D 2840 LF 23 D 2840 LF 24 D 2840 LFX	10 Zyl.	18,3 Ltr.	S31279-00 ⑬ 51.00900.6558 (10x) +51.00900.6583 +51.01510.6004 +51.02130.0032 D31279-00 ⑫ ⑱ 51.00900.6558 D38437-00 ⑱ ⑲ 51.00900.6629 B31279-00 ⑬ ⑲ 51.00900.6583 +51.01510.6004 +51.02130.0032 R31279-00 ③ 10x	H40623-00 10x 51.03901.0298 144,5 Ø 1,25 mm MLS  H50012-00 10x 51.03901.0338 144,5 Ø 	T50552-00 10x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x)
D 2840 LF 25	10 Zyl.	18,3 Ltr.	R31279-00 ③ 10x	H40623-00 10x 51.03901.0298 144,5 Ø 1,25 mm MLS  H50012-00 10x 51.03901.0338 144,5 Ø 	

③ juego de juntas para camisa de cilindro / Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
 ⑫ con anillos para camisa de cilindro / mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров



					
X08233-01 10x 51.03905.0134 		X51012-01 10x 51.08902.0161 	X08234-01 10x 51.08901.0099 	X08620-01 10x 51.05904.0134 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 10x 51.03905.0134 		X51012-01 10x 51.08902.0161 	X08234-01 10x 51.08901.0099 	X08620-01 10x 51.05904.0134 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 10x 51.03905.0134 		X51012-01 10x 51.08902.0161 	X08234-01 10x 51.08901.0099 	X08620-01 10x 51.05904.0134 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X83155-01 10x 51.03905.0176 	P76602-00 40x 51.04902.0033	X89572-01 10x 51.08902.0202 	X81555-01 10x 51.08901.0152 	X08620-01 10x 51.05904.0134  X54812-01 51.05904.0199 Gummi 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE

⑱ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров
 ⑲ con junta de culata MLS / mit Mehrlagen-Zylinderkopfdichtung / with multilayer cylinder head gasket / avec joint de culasse multifeuilles / con guarnizione testata multistrato / с многослойной прокладкой головки блока цилиндров




MAN					
D 2840 LF27 D 2840 LF28	10 Zyl.	18,2 Ltr.	S31279-00 ⑬ 51.00900.6558 (10x) +51.00900.6583 +51.01510.6004 +51.02130.0032 D31279-00 ⑫ ⑱ 51.00900.6558 D38437-00 ⑱ ⑲ 51.00900.6629 B31279-00 ⑬ ⑲ 51.00900.6583 +51.01510.6004 +51.02130.0032 R31279-00 ③ 10x	H40623-00 10x 51.03901.0298 144,5 Ø 1,25 mm MLS H50012-00 10x 51.03901.0338 144,5 Ø 	T50552-00 10x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x)
D 2840 LYE	10 Zyl.	18,3	D31279-00 ⑫ ⑱ 10x 51.00900.6558	H50012-00 10x 51.03901.0338 144,5 Ø 	
D 2840 ME D 2840 MF D 2840 MFG D 2840 MH	10 Zyl.	18,3	S38353-00 ⑬ ⑲ 51.00900.6558 (10x) +51.00900.6582 +51.01510.6004 +51.02130.0032 D31279-00 ⑫ ⑱ 10x 51.00900.6558 D38437-00 ⑱ ⑲ 51.00900.6629 R31279-00 ③ 10x	H40623-00 10x 51.03901.0298 144,5 Ø 1,25 mm MLS H50012-00 10x 51.03901.0338 144,5 Ø 	T50552-00 10x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x) ➔ 4682001➔
D 2842 LE D 2842 LF D 2842 LF 01 D 2842 LF 720X D 2842 LXF D 2842 LYZ	12 Zyl.	21,6	S38348-00 ⑬ ⑲ 51.00900.6563 +51.01510.6004 +51.02130.0032 D31279-00 ⑫ ⑱ 51.00900.6558 D38437-00 ⑱ ⑲ 51.00900.6629 R31279-00 ③ 12x	H40623-00 12x 51.03901.0298 144,5 Ø 1,25 mm MLS H50012-00 12x 51.03901.0338 144,5 Ø 	T50552-00 12x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x)

⑬ juego de juntas para camisa de cilindro / Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
 ⑱ con anillos para camisa de cilindro / mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров
 ⑲ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров



X08233-01 10x 51.03905.0134 		X51012-01 10x 51.08902.0161 	X08234-01 10x 51.08901.0099 	X08620-01 10x 51.05904.0134 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 10x 51.03905.0134 		X51012-01 10x 51.08902.0161 	X08234-01 10x 51.08901.0099 	X08620-01 10x 51.05904.0134 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 10x 51.03905.0134 	P76944-00 ES 10x 51.04902.0028	X51012-01 10x 51.08902.0161 	X08234-01 10x 51.08901.0099 	X08620-01 10x 51.05904.0134 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 12x 51.03905.0134 		X51012-01 12x 51.08902.0161 	X08234-01 12x 51.08901.0099 	X54080-01 12x 51.05904.0133 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE

⑱ con junta de culata MLS / mit Mehrlagen-Zylinderkopfdichtung / with multilayer cylinder head gasket / avec joint de culasse multifeuilles / con guarnizione testata multistrato / с многослойной прокладкой головки блока цилиндров
 ES lado de admisión / Einlaßseite / intake side / côté admission / lato aspirazione / сторона впуска



MAN					
D 2842 LE 201 D 2842 LE 202 D 2842 LE 302 (NEW)	12 Zyl.	Ltr. 21,9	S38734-00 51.00900.6633 D31279-00 51.00900.6558 R31279-00	H50012-00 51.03901.0338 144,5 Ø	12x
D 2842 LF 02	12 Zyl.	21,6	S37185-00 51.00900.6623 +51.01510.6004 +51.02130.0032 D31279-00 51.00900.6558 D38437-00 51.00900.6629 R31279-00	H40623-00 51.03901.0298 144,5 Ø 1,25 mm MLS H50012-00 51.03901.0338 144,5 Ø	12x 12x
D 2842 LF10	12 Zyl.	21,9	S37186-00 51.00900.6706 +51.01510.0197 +51.02130.0012 D37186-00 51.00900.6683	H50012-00 51.03901.0338 144,5 Ø	12x
D 2842 LXE D 2842 LYE D 2842 LZE	12 Zyl.	21,9	S38348-00 51.00900.6563 +51.01510.6004 +51.02130.0032 D31279-00 51.00900.6558 D38437-00 51.00900.6629 R31279-00	H40623-00 51.03901.0298 144,5 Ø 1,25 mm MLS H50012-00 51.03901.0338 144,5 Ø	12x 12x










③ juego de juntas para camisa de cilindro / Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
 ⑬ con anillos para camisa de cilindro / mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров



X08233-01 51.03905.0134	12x	N93173-00 51.04902.0028 (12x) P76944-00 51.04902.0028	2x 24x	X51012-01 51.08902.0161	12x
X08233-01 51.03905.0134	12x	N93173-00 51.04902.0028 (12x) P76944-00 51.04902.0028	2x 24x	X51012-01 51.08902.0161	12x
X83155-01 51.03905.0176	12x	P76602-00 51.04902.0033	48x	X89572-01 51.08902.0202	12x
X08233-01 51.03905.0134	12x			X51012-01 51.08902.0161	12x
























⑬ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров
 ⑭ con junta de culata MLS / mit Mehrlagen-Zylinderkopfdichtung / with multilayer cylinder head gasket / avec joint de culasse multifeuilles / con guarnizione testata multistrato / с многослойной прокладкой головки блока цилиндров




MAN					
D 2842 ME	12 Zyl.	21,9 Ltr.	D31279-00 51.00900.6558 ⑫ ⑮ 12x	H50012-00 51.03901.0338 144,5 Ø 	12x
D 2848 LE	8 Zyl.	14,4 Ltr.	D31279-00 51.00900.6558 D38437-00 51.00900.6629 B38448-00 51.00900.6608 +51.01510.6004 +51.02130.0032 R31279-00 ③ 8x	H40623-00 51.03901.0298 144,5 Ø 1,25 mm MLS  H50012-00 51.03901.0338 144,5 Ø 	8x 8x
D 2848 LXE D 2848 LYE D 2848 M D 2848 MH	8 Zyl.	14,6 Ltr.	D31279-00 51.00900.6558 ⑫ ⑮ 8x	H50012-00 51.03901.0338 144,5 Ø 	8x
D 2865 LF 01 D 2865 LF 04 D 2865 LF 07 D 2865 LF 10-19 D 2865 LFR D 2865 LFR 01 D 2865 LOH 05-10 D 2865 LXF D 2865 LXFR	5 Zyl.	10,0 Ltr.	S36260-00 51.00900.6558 (5x) +51.00900.6594 +51.01510.6004 +51.02130.0032 D31279-00 51.00900.6558 D38437-00 51.00900.6629 R31279-00 ③ 5x	H40623-00 51.03901.0298 144,5 Ø 1,25 mm MLS  H50012-00 51.03901.0338 144,5 Ø 	5x 5x










⑫ juego de juntas para camisa de cilindro / Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
 ⑮ con anillos para camisa de cilindro / mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров



					
X08233-01 51.03905.0134 	12x	X51012-01 51.08902.0161 	12x	X08234-01 51.08901.0099 	12x
X08233-01 51.03905.0134 	8x	X51012-01 51.08902.0161 	8x	X08234-01 51.08901.0099 	8x
X08233-01 51.03905.0134 	8x	X51012-01 51.08902.0161 	8x	X08234-01 51.08901.0099 	8x
X08233-01 51.03905.0134 	5x	X51012-01 51.08902.0161 	5x	X08234-01 51.08901.0099 	5x
				X54080-01 51.05904.0133 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
				X08239-01 51.05904.0127 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
				X54451-01 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
				X54093-01 51.05904.0131  X54812-01 51.05904.0199 Gummi 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE

⑮ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров
 ⑰ con junta de culata MLS / mit Mehrlagen-Zylinderkopfdichtung / with multilayer cylinder head gasket / avec joint de culasse multifeuilles / con guarnizione testata multistrato / с многослойной прокладкой головки блока цилиндров






















MAN					
D 2865 LF 02 D 2865 LF 03 D 2865 LF 05 D 2865 LF 06 D 2865 LF 09 D 2865 LF 20 D 2865 LF 21 D 2865 LF 22 D 2865 LF 23 D 2865 LF 24 D 2865 LF/260 D 2865 LOH 01 D 2865 LOH 02	5 Zyl.	10,0 Ltr.	S36260-00 ⑬ 51.00900.6558 (5x) +51.00900.6594 +51.01510.6004 +51.02130.0032 D31279-00 ⑫ ⑱ 5x 51.00900.6558 D38437-00 ⑱ ⑲ 51.00900.6629 R31279-00 ③ 5x	H40623-00 5x 51.03901.0298 144,5 Ø 1,25 mm MLS  H50012-00 5x 51.03901.0338 144,5 Ø 	T50552-00 5x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x)
D 2865 LU 01/Silent D 2865 LU 05 D 2865 LUH 02 D 2865 LUH 05 D 2865 LUH 07 D 2865 LUH 08 D 2865 LUH 09	5 Zyl.	10,0 Ltr.	D31279-00 ⑫ ⑱ 51.00900.6558 D38437-00 ⑱ ⑲ 51.00900.6629 B38453-00 ⑬ 51.00900.6593 +51.01510.6004 +51.02130.0032 R31279-00 ③ 5x	H40623-00 5x 51.03901.0298 144,5 Ø 1,25 mm MLS  H50012-00 5x 51.03901.0338 144,5 Ø 	T50552-00 5x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x)
D 2865 LU 02 D 2865 LU 03 D 2865 LUH 03	5 Zyl.	10,0 Ltr.	D31279-00 ⑫ ⑱ 51.00900.6558 D38437-00 ⑱ ⑲ 51.00900.6629 B38453-00 ⑬ 51.00900.6593 +51.01510.6004 +51.02130.0032 R31279-00 ③ 5x	H40623-00 5x 51.03901.0298 144,5 Ø 1,25 mm MLS  H50012-00 5x 51.03901.0338 144,5 Ø 	T50552-00 5x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x)

⑬ juego de juntas para camisa de cilindro / Dichtsatz Zylindertaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра










⑱ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров



					
X08233-01 5x 51.03905.0134 		X51012-01 5x 51.08902.0161 	X08234-01 5x 51.08901.0099 	X54093-01 5x 51.05904.0131  X54812-01 51.05904.0199 Gummi 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 5x 51.03905.0134 		X51012-01 5x 51.08902.0161 	X08234-01 5x 51.08901.0099 	X54093-01 5x 51.05904.0131 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 5x 51.03905.0134 		X51012-01 5x 51.08902.0161 	X08234-01 5x 51.08901.0099 	X54093-01 5x 51.05904.0131 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE



















⑱ con junta de culata MLS / mit Mehrlagen-Zylinderkopfdichtung / with multilayer cylinder head gasket / avec joint de culasse multifeuilles / con guarnizione testata multistrato / с многослойной прокладкой головки блока цилиндров




MAN					
D 2866 FG D 2866 FZR D 2866 KOLT D 2866 LF D 2866 LF 02 D 2866 LF 07 D 2866 LF 08 D 2866 LFG D 2866 LFX D 2866 LFXG D 2866 LFZ D 2866 LFZR D 2866 LH D 2866 LOH 02 D 2866 LOH 04 D 2866 LOH 05 D 2866 LOH 08 D 2866 LOH 09 D 2866 MKX	6 Zyl.	12,0 Ltr.	S36261-00 ⑬ 51.00900.6603 +51.00900.6558 (6x) +51.01510.6004 +51.02130.0032 D31279-00 ⑫ ⑱ 51.00900.6558 D38437-00 ⑱ ⑲ 51.00900.6629 B37188-00 ⑬ ⑲ 51.00900.6603 +51.01510.6004 +51.02130.0032 R31279-00 ③ 6x	H40623-00 6x 51.03901.0298 144,5 Ø 1,25 mm MLS  H50012-00 6x 51.03901.0338 144,5 Ø 	T50552-00 6x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x)
D 2866 FR	6 Zyl.	12,0 Ltr.	S36261-00 ⑬ 51.00900.6603 +51.00900.6558 (6x) +51.01510.6004 +51.02130.0032 D31279-00 ⑫ ⑱ 6x 51.00900.6558 D38437-00 ⑱ ⑲ 51.00900.6629 B37188-00 ⑬ ⑲ 51.00900.6603 +51.01510.6004 +51.02130.0032 R31279-00 ③ 6x	H40623-00 6x 51.03901.0298 144,5 Ø 1,25 mm MLS  H50012-00 6x 51.03901.0338 144,5 Ø 	T50552-00 6x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x)
D 2866 F/240 D 2866 KF/KFZ D 2866 KOH/360 D 2866 KOH/373 D 2866 LF 03-06/09/10/15/16 D 2866 LFZ/290 D 2866 LFZ/330 D 2866 LF14 D 2866 LF17 D 2866 LF/290 D 2866 LF/330 D 2866 LOH D 2866 LOH 03/06/07/20 D 2866 LOH 22-26 D 2866 LXF/LXOH/T/TOH D 2866 TOH/290 D 2866 TOH/310	6 Zyl.	12,0 Ltr.	S36261-00 ⑬ 51.00900.6603 +51.00900.6558 (6x) +51.01510.6004 +51.02130.0032 D31279-00 ⑫ ⑱ 6x 51.00900.6558 D38437-00 ⑱ ⑲ 51.00900.6629 B37188-00 ⑬ ⑲ 51.00900.6603 +51.01510.6004 +51.02130.0032 R31279-00 ③ 6x	H40623-00 6x 51.03901.0298 144,5 Ø 1,25 mm MLS  H50012-00 6x 51.03901.0338 144,5 Ø 	T50552-00 6x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x)










③ juego de juntas para camisa de cilindro / Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
⑬ con anillos para camisa de cilindro / mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров



					
X08233-01 6x 51.03905.0134 		X51012-01 6x 51.08902.0161 	X08234-01 6x 51.08901.0099 	X54094-01 2x 51.05904.0132 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 6x 51.03905.0134 		X51012-01 6x 51.08902.0161 	X08234-01 6x 51.08901.0099 	X54094-01 2x 51.05904.0132 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 6x 51.03905.0134 		X51012-01 6x 51.08902.0161 	X08234-01 6x 51.08901.0099 	X54094-01 2x 51.05904.0132 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE





















⑱ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une testate / per una testata / для головки блока цилиндров
⑬ con junta de culata MLS / mit Mehrlagen-Zylinderkopfdichtung / with multilayer cylinder head gasket / avec joint de culasse multifeuilles / con guarnizione testata multistrato / с многослойной прокладкой головки блока цилиндров



MAN					
D 2866 KH D 2866 LH 01 D 2866 LH 02 (NEW)	6 Zyl.	12,0 Ltr.	S36261-00 ⑬ 51.00900.6603 +51.00900.6558 (6x) +51.01510.6004 +51.02130.0032 D31279-00 ⑫ ⑱ 6x 51.00900.6558 D38437-00 ⑱ ⑲ 6x 51.00900.6629 B37188-00 ⑬ ⑲ 51.00900.6603 +51.01510.6004 +51.02130.0032 R31279-00 ③ 6x	H40623-00 6x 51.03901.0298 144,5 Ø 1,25 mm MLS  H50012-00 6x 51.03901.0338 144,5 Ø 	T50552-00 6x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x)
D 2866 KU D 2866 KULT D 2866 LU 01 D 2866 LU 03 D 2866 LU 04 D 2866 LU 07 D 2866 LU 08 D 2866 LUH D 2866 LUH 05 D 2866 LXU D 2866 LXUH D 2866 TUM D 2866 UM 1	6 Zyl.	12,0 Ltr.	S36262-00 ⑬ 51.00900.6601 +51.00900.6558 (6x) +51.01510.6004 +51.02130.0032 D31279-00 ⑫ ⑱ 51.00900.6558 D38437-00 ⑱ ⑲ 51.00900.6629 R31279-00 ③ 6x	H40623-00 6x 51.03901.0298 144,5 Ø 1,25 mm MLS  H50012-00 6x 51.03901.0338 144,5 Ø 	T50552-00 6x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x)
D 2866 KUH/360 D 2866 KUL D 2866 LUH/330 D 2866 LUL/330 D 2866 LU/330 D 2866 TUH 01 D 2866 TUH/290 D 2866 UH D 2866 UH/240 D 2866 UM	6 Zyl.	12,0 Ltr.	S36262-00 ⑬ 51.00900.6601 +51.00900.6558 (6x) +51.01510.6004 +51.02130.0032 D31279-00 ⑫ ⑱ 6x 51.00900.6558 D38437-00 ⑱ ⑲ 51.00900.6629 R31279-00 ③ 6x	H40623-00 6x 51.03901.0298 144,5 Ø 1,25 mm MLS  H50012-00 6x 51.03901.0338 144,5 Ø 	T50552-00 6x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x)

⑬ juego de juntas para camisa de cilindro / Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
 ⑱ con anillos para camisa de cilindro / mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров



					
X08233-01 6x 51.03905.0134 		X51012-01 6x 51.08902.0161 	X08234-01 6x 51.08901.0099 	X54094-01 2x 51.05904.0132 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 6x 51.03905.0134 		X51012-01 6x 51.08902.0161 	X08234-01 6x 51.08901.0099  X81361-01 12x 51.08901.0067 	X54094-01 51.05904.0132 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 6x 51.03905.0134 		X51012-01 6x 51.08902.0161 	X08234-01 6x 51.08901.0099  X81361-01 12x 51.08901.0067 	X54094-01 51.05904.0132 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE

⑱ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров
 ⑲ con junta de culata MLS / mit Mehrlagen-Zylinderkopfdichtung / with multilayer cylinder head gasket / avec joint de culasse multifeuilles / con guarnizione testata multistrato / с многослойной прокладкой головки блока цилиндров



MAN					
D 2866 LE D 2866 TE	6 Zyl.	12,0 Ltr.	D31279-00 ⑫ ⑮ 51.00900.6558 D38437-00 ⑮ ⑲ 51.00900.6629 B37188-00 ⑬ ⑯ 51.00900.6603 +51.01510.6004 +51.02130.0032 R31279-00 ③ 6x	H40623-00 6x 51.03901.0298 144,5 Ø 1,25 mm MLS H50012-00 6x 51.03901.0338 144,5 Ø 	T50552-00 6x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x)
D 2866 LF 20 D 2866 LF 21 D 2866 LF 22 D 2866 LF 34 D 2866 LF 35 D 2866 LF 36	6 Zyl.	12,0	D31279-00 ⑫ ⑮ 6x 51.00900.6558 D38437-00 ⑮ ⑲ 51.00900.6629 B36546-00 ⑬ ⑯ 51.00900.6602 +51.01510.6004 +51.02130.0032 R31279-00 ③ 6x	H40623-00 6x 51.03901.0298 144,5 Ø 1,25 mm MLS H50012-00 6x 51.03901.0338 144,5 Ø 	T50552-00 6x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x)
D 2866 LF 23	6 Zyl.	12,0	S38356-00 ⑫ ⑬ ⑯ 51.00900.6635 +51.01510.6004 +51.02130.0032 S38399-00 ⑫ ⑬ ⑯ ⑤④ 51.00900.6659 +51.01510.6004 +51.02130.0032 D38444-00 ⑫ ⑤④ 51.00900.6658 D36546-00 ⑫ ⑮ 51.00900.6630 D38502-00 ⑫ ⑮ ⑲ R31279-00 ③ 6x R38497-01 ③ ⑤④ 6x	H40617-00 ⑤④ 6x 51.03901.0382 129 Ø 1,7 mm H40623-00 6x 51.03901.0298 144,5 Ø 1,25 mm MLS H50012-00 6x 51.03901.0338 144,5 Ø 	T50012-03 6x 51.90490.0070 (3x) +51.90490.0071 (3x)

③ juego de juntas para camisa de cilindro / Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра

⑤ con anillos para camisa de cilindro / mit Zylindertaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров

⑥ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров



X08233-01 6x 51.03905.0134 		X51012-01 6x 51.08902.0161 	X08234-01 6x 51.08901.0099 	X54094-01 6x 51.05904.0132 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 6x 51.03905.0134 		X51012-01 6x 51.08902.0161 	X08234-01 6x 51.08901.0099 	X54094-01 6x 51.05904.0132 X54670-02 X ②④ 51.05904.0198 Gummi 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X83456-01 5x 51.03905.0157 X83457-01 5x 51.03905.0161 	P76602-00 24x 51.04902.0033	X59542-01 6x 51.08902.0194 	X81555-01 6x 51.08901.0152 	X54094-01 6x 51.05904.0132 X54670-02 ②④ 51.05904.0198 Gummi 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE

① con junta de culata MLS / mit Mehrlagen-Zylinderkopfdichtung / with multilayer cylinder head gasket / avec joint de culasse multifeuilles / con guarnizione testata multistrato / с многослойной прокладкой головки блока цилиндров

② material cárter chapa de acero / Ölwanne material Stahlblech / oil pan material sheet steel / carter d'huile tôle d'acier / materiale coppa olio in lamiera d'acciaio / материал масляного картера - листовая сталь

④ solo para motores con camisas de cilindro modificados / nur für Motoren mit modifizierten Zylinderlaufbüchsen / only for engines with modified cylinderliners / uniquement pour moteurs avec chemises modifiées / solo per motori con canna cilindro modificate / только для моторов с модифицированными гильзами цилиндров



MAN				
D 2866 LF 24 D 2866 LF 25 D 2866 LF 26 D 2866 LF 27 D 2866 LF 28 D 2866 LF 31 D 2866 LF 32 D 2866 LF 37 D 2866 LF 38 D 2866 LF 39 D 2866 LF 40 D 2866 LF 45 D 2866 LF41 D 2866 LF43 D 2866 LOH 27 D 2866 LOH 28 D 2866 LOH 29 D 2866 LOH 32 D 2866 LOH 33 D 2866 LOH 34 D 2866 LOH 35 D 2866 LOH 38	6 Zyl. 12,0	S38356-00 ⑫ ⑬ ⑯ 51.00900.6635 +51.01510.6004 +51.02130.0032 S38399-00 ⑫ ⑬ ⑯ ⑤④ 51.00900.6659 +51.01510.6004 +51.02130.0032 D38444-00 ⑫ ⑤④ 51.00900.6658 D36546-00 ⑫ ⑱ 51.00900.6630 D38502-00 ⑫ ⑱ ⑲ R31279-00 ③ 6x R38497-01 ③ ⑤④ 6x	H40617-00 ⑤④ 6x 51.03901.0382 129 Ø 1,7 mm H40623-00 6x 51.03901.0298 144,5 Ø 1,25 mm MLS H50012-00 6x 51.03901.0338 144,5 Ø H40623-00 6x 51.03901.0298 144,5 Ø 1,25 mm MLS H50012-00 6x 51.03901.0338 144,5 Ø 	T50012-03 6x 51.90490.0070 (3x) +51.90490.0071 (3x)
D 2866 LFG 03 D 2866 LFG 04 D 2866 LFG 05 D 2866 LFG 07 D 2866 LOH 21 D 2866 LOH 31 E 2866 E 2866 DF 01 E 2866 DF 02 E 2866 DF 03 E 2866 DF 04 E 2866 DOH 02 E 2866 DOH 03 E 2866 DOH 04	6 Zyl. 12,0	D31279-00 ⑫ ⑱ 51.00900.6558 D38437-00 ⑱ ⑲ 51.00900.6629 B36546-00 ⑬ ⑱ 51.00900.6602 +51.01510.6004 +51.02130.0032 R31279-00 ③ 6x	H40623-00 6x 51.03901.0298 144,5 Ø 1,25 mm MLS H50012-00 6x 51.03901.0338 144,5 Ø 	T50552-00 6x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x)

③ juego de juntas para camisa de cilindro / Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра

⑬ con anillos para camisa de cilindro / mit Zylindertaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров

⑱ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров



X83456-01 5x 51.03905.0157 X83457-01 5x 51.03905.0161 	P76602-00 24x 51.04902.0033	X59542-01 6x 51.08902.0194 	X81555-01 6x 51.08901.0152 	X54094-01 51.05904.0132 X54670-02 ⑳ 51.05904.0198 Gummi 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 6x 51.03905.0134 		X51012-01 6x 51.08902.0161 	X08234-01 6x 51.08901.0099 	X54094-01 51.05904.0132 X54670-02 ⑳ 51.05904.0198 Gummi 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE

⑱ con junta de culata MLS / mit Mehrlagen-Zylinderkopfdichtung / with multilayer cylinder head gasket / avec joint de culasse multifeuilles / con guarnizione testata multistrato / с многослойной прокладкой головки блока цилиндров

⑳ material cárter chapa de acero / Ölwanne material Stahlblech / oil pan material sheet steel / carter d'huile tôle d'acier / materiale coppa olio in lamiera d'acciaio / материал масляного картера - листовая сталь

⑤④ solo para motores con camisas de cilindro modificados / nur für Motoren mit modifizierten Zylinderlaufbüchsen / only for engines with modified cylinderliners / uniquement pour moteurs avec chemises modifiées / solo per motori con canna cilindro modificate / только для моторов с модифицированными гильзами цилиндров



MAN					
D 2866 LF29	6 Zyl.	12,0 Ltr.	<p>S38356-00 ⑫ ⑬ ⑯ 51.00900.6635 +51.01510.6004 +51.02130.0032</p> <p></p> <p>S38399-00 ⑫ ⑬ ⑯ ⑤④ 51.00900.6659 +51.01510.6004 +51.02130.0032</p> <p>D38444-00 ⑫ ⑤④ 51.00900.6658</p> <p></p> <p>D36546-00 ⑫ ⑱ 51.00900.6630</p> <p></p> <p>D38502-00 ⑫ ⑱ ⑲ </p> <p>R31279-00 ③ 6x R38497-01 ③ ⑤④ 6x</p>	<p>H40617-00 ⑤④ 6x 51.03901.0382 129 Ø 1,7 mm</p> <p></p> <p>H40623-00 6x 51.03901.0298 144,5 Ø 1,25 mm MLS</p> <p></p> <p>H50012-00 6x 51.03901.0338 144,5 Ø</p> <p></p>	
D 2866 LUH 20 D 2866 LUH 21 D 2866 LUH 22 D 2866 LUH 26	6 Zyl.	12,0	<p>S38354-00 ⑬ ⑯ 51.00900.6620 +51.01510.6004 +51.02130.0032</p> <p>D31279-00 ⑫ ⑱ 6x 51.00900.6558</p> <p>D38437-00 ⑱ ⑲ 51.00900.6629</p> <p>R31279-00 ③ 6x</p>	<p>H40623-00 6x 51.03901.0298 144,5 Ø 1,25 mm MLS</p> <p></p> <p>H50012-00 6x 51.03901.0338 144,5 Ø</p> <p></p>	<p>T50552-00 6x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x)</p>

③ juego de juntas para camisa de cilindro / Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра

⑫ con anillos para camisa de cilindro / mit Zylindertaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров

⑱ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров



<p>X83456-01 5x 51.03905.0157</p> <p></p> <p>X83457-01 51.03905.0161</p> <p></p>	<p>P76602-00 12x 51.04902.0033</p>	<p>X59542-01 6x 51.08902.0194</p> <p></p>	<p>X81555-01 6x 51.08901.0152</p> <p></p>	<p>X54094-01 51.05904.0132</p> <p></p> <p>X54670-02 ②④ 51.05904.0198 Gummi</p> <p></p>	<p>P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE</p>
<p>X08233-01 6x 51.03905.0134</p> <p></p>		<p>X51012-01 6x 51.08902.0161</p> <p></p>	<p>X08234-01 6x 51.08901.0099</p> <p></p>	<p>X54094-01 51.05904.0132</p> <p></p>	<p>P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE</p>

⑱ con junta de culata MLS / mit Mehrlagen-Zylinderkopfdichtung / with multilayer cylinder head gasket / avec joint de culasse multifeuilles / con guarnizione testata multistrato / с многослойной прокладкой головки блока цилиндров

②④ material cárter chapa de acero / Ölwanne material Stahlblech / oil pan material sheet steel / carter d'huile tôle d'acier / materiale coppa olio in lamiera d'acciaio / материал масляного картера - листовая сталь

⑤④ solo para motores con camisas de cilindro modificados / nur für Motoren mit modifizierten Zylinderlaufbüchsen / only for engines with modified cylinderliners / uniquement pour moteurs avec chemises modifiées / solo per motori con canna cilindro modificate / только для моторов с модифицированными гильзами цилиндров



MAN					
D 2866 LUH 23 D 2866 LUH 24 D 2866 LUH 25 D 2866 LUH 27 D 2866 LUH 28 D 2866 LUH 29 D 2866 LUH 30 D 2866 LUH 34 D 2866 LUH 35 D 2866 LUH 36 D 2866 LUH 37 D 2866 LUH 50 D 2866 LUH 51 D 2866 LUH 52	6 Zyl.	12,0 Ltr.	S38357-00 ⑫ ⑬ ⑯ 51.00900.6648 +51.01510.6004 +51.02130.0032 S38401-00 ⑫ ⑬ ⑯ ⑤④ 51.00900.6701 +51.01510.6004 +51.02130.0032 D38444-00 ⑫ ⑤④ 51.00900.6658 D36546-00 ⑫ ⑱ 51.00900.6630 D38502-00 ⑫ ⑱ ⑲ R31279-00 ③ 6x R38497-01 ③ ⑤④ 6x	H40617-00 ⑤④ 6x 51.03901.0382 129 Ø 1,7 mm H40623-00 6x 51.03901.0298 144,5 Ø 1,25 mm MLS H50012-00 6x 51.03901.0338 144,5 Ø R31279-00 ③ 6x R38497-01 ③ ⑤④ 6x	T50012-03 6x 51.90490.0070 (3x) +51.90490.0071 (3x)
D 2866 LUL [NEW]	6 Zyl.	12,0		H40623-00 6x 51.03901.0298 144,5 Ø 1,25 mm MLS 	T50012-03 6x 51.90490.0070 (3x) +51.90490.0071 (3x)
D 2866 LXFG D 2866 OH	6 Zyl.	12,0	D31279-00 ⑫ ⑱ 51.00900.6558 B37188-00 ⑬ ⑯ 51.00900.6603 +51.01510.6004 +51.02130.0032	H50012-00 6x 51.03901.0338 144,5 Ø 	T50012-03 6x 51.90490.0070 (3x) +51.90490.0071 (3x)
D 2866 TUH	6 Zyl.	11,9	S36262-00 ⑬ 51.00900.6601 +51.00900.6558 (6x) +51.01510.6004 +51.02130.0032 D31279-00 ⑫ ⑱ 6x 51.00900.6558 D38437-00 ⑱ ⑲ 51.00900.6629 R31279-00 ③ 6x	H40623-00 6x 51.03901.0298 144,5 Ø 1,25 mm MLS H50012-00 6x 51.03901.0338 144,5 Ø 	T50012-03 6x 51.90490.0070 (3x) +51.90490.0071 (3x)

⑫ juego de juntas para camisa de cilindro / Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
 ⑬ con anillos para camisa de cilindro / mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров
 ⑱ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров



X83456-01 5x 51.03905.0157 X83457-01 51.03905.0161 	P76602-00 24x 51.04902.0033	X59542-01 6x 51.08902.0194 	X81555-01 6x 51.08901.0152 	X54094-01 51.05904.0132 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 6x 51.03905.0134 		X51012-01 6x 51.08902.0161 	X08234-01 6x 51.08901.0099 	X54094-01 51.05904.0132 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 6x 51.03905.0134 		X51012-01 6x 51.08902.0161 	X08234-01 6x 51.08901.0099 	X54094-01 51.05904.0132 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 6x 51.03905.0134 		X51012-01 6x 51.08902.0161 	X08234-01 6x 51.08901.0099 X81361-01 12x 51.08901.0067 	X54094-01 51.05904.0132 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE

⑱ con junta de culata MLS / mit Mehrlagen-Zylinderkopfdichtung / with multilayer cylinder head gasket / avec joint de culasse multifeuilles / con guarnizione testata multistrato / с многослойной прокладкой головки блока цилиндров
 ⑤④ solo para motores con camisas de cilindro modificados / nur für Motoren mit modifizierten Zylinderlaufbüchsen / only for engines with modified cylinderliners / uniquement pour moteurs avec chemises modifiées / solo per motori con canne cilindro modificate / только для моторов с модифицированными гильзами цилиндров



MAN					
D 2868 LF02 D 2868 LF03 D 2868 LF04 (NEW)	8 Zyl.	16,2 Ltr.	S38735-00 51.00900.6727 D38707-01 51.00900.6728 R38713-00 51.96501.0616 (2x)	H40716-00 51.03901.0396 129 Ø 1,25 mm	T38764-00 51.90020.0421 (6x)
D 2876 LF 01 D 2876 LF 03 D 2876 LF 04 D 2876 LF 05 D 2876 LF 06 D 2876 LF 07 D 2876 LF 08 D 2876 LF 09 D 2876 LF 10 D 2876 LF 11 D 2876 LF 14 D 2876 LF 17 D 2876 LF 20 D 2876 LF 21 D 2876 LF 22 D 2876 LF 24	6 Zyl.	12,8 Ltr.	S38356-00 51.00900.6635 +51.01510.6004 +51.02130.0032 S38399-00 51.00900.6659 +51.01510.6004 +51.02130.0032 D38444-00 51.00900.6658 D36546-00 51.00900.6630 D38502-00 R31279-00 R38497-01	H40617-00 51.03901.0382 129 Ø 1,7 mm H40623-00 51.03901.0298 144,5 Ø 1,25 mm MLS H50012-00 51.03901.0338 144,5 Ø	T50012-03 51.90490.0070 (3x) +51.90490.0071 (3x)
D 2876 LF 02 D 2876 LOH 01	6 Zyl.	12,8 Ltr.	D31279-00 51.00900.6558 D38437-00 51.00900.6629 B36546-00 51.00900.6602 +51.01510.6004 +51.02130.0032 R31279-00	H40623-00 51.03901.0298 144,5 Ø 1,25 mm MLS H50012-00 51.03901.0338 144,5 Ø	T50552-00 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x)

③ juego de juntas para camisa de cilindro / Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра

⑬ con anillos para camisa de cilindro / mit Zylinderlaufbüchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров

⑭ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров

⑮ con junta de culata MLS / mit Mehrlagen-Zylinderkopfdichtung / with multilayer cylinder head gasket / avec joint de culasse multifeuilles / con guarnizione testata multistrato / с многослойной прокладкой головки блока цилиндров



X59610-01 51.03905.0186	P76602-00 AS 16x P76823-00 ES 16x 51.04902.0033 51.04902.0035	X59934-02 51.08902.0222	X59889-01 51.08901.0190	X59609-01 51.05904.0208	P77837-01 K ← 51.01510.0277 139x165x12 A SL LD P77848-01 K → 51.01510.0279 110x130x12 A SL RD
X83456-01 51.03905.0157 X83457-01 51.03905.0161	P76602-00 51.04902.0033	X59542-01 51.08902.0194	X81555-01 51.08901.0152	X54094-01 51.05904.0132 X54670-02 ⑭ 51.05904.0198 Gummi	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 51.03905.0134		X51012-01 51.08902.0161	X08234-01 51.08901.0099	X54094-01 51.05904.0132 X54670-02 X ⑭ 51.05904.0198 Gummi	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE

⑭ material cárter chapa de acero / Ölwanne material Stahlblech / oil pan material sheet steel / carter d'huile tôle d'acier / materiale coppa olio in lamiera d'acciaio / материал масляного картера - листовая сталь

⑮ solo para motores con camisas de cilindro modificados / nur für Motoren mit modifizierten Zylinderlaufbüchsen / only for engines with modified cylinderliners / uniquement pour moteurs avec chemises modifiées / solo per motori con canne cilindro modificate / только для моторов с модифицированными гильзами цилиндров

AS lado de escape / Auslaßseite / exhaust side / côté échappement / lato scarico / сторона выпуска

ES lado de admisión / Einlaßseite / intake side / côté admission / lato aspirazione / сторона впуска



MAN					
D 2876 LF 12 D 2876 LF 13 D 2876 LF 25 D 2876 LOH 20 D 2876 LOH 21	6 Zyl.	Ltr. 12,8	S38400-00 51.00900.6652 +51.01510.6004 +51.02130.0032 D38445-00 51.00900.6653 R38497-01 ③ 6x	H40617-00 6x 51.03901.0382 129 Ø 1,7 mm 	T40617-00 6x 51.90020.0404 (3x) +51.90020.0403 (3x)
D 2876 LOH 02 D 2876 LOH 03	6 Zyl.	12,8	S38355-00 ⑫ ⑬ ⑯ 51.00900.6643 +51.01510.6004 +51.02130.0032 S38399-00 ⑫ ⑬ ⑯ ⑤④ 51.00900.6659 +51.01510.6004 +51.02130.0032 D36546-00 ⑫ ⑱ 51.00900.6630 D38502-00 ⑫ ⑱ ⑲ R31279-00 ③ 6x R38497-01 ③ ⑤④ 6x	H40617-00 ⑤④ 6x 51.03901.0382 129 Ø 1,7 mm H40623-00 6x 51.03901.0298 144,5 Ø 1,25 mm MLS H50012-00 6x 51.03901.0338 144,5 Ø 	T50012-03 6x 51.90490.0070 (3x) +51.90490.0071 (3x)
D 2876 LOH 04	6 Zyl.	12,8	S38355-00 ⑫ ⑬ ⑯ 51.00900.6643 +51.01510.6004 +51.02130.0032 S38399-00 ⑫ ⑬ ⑯ ⑤④ 51.00900.6659 +51.01510.6004 +51.02130.0032 D36546-00 ⑫ ⑱ 51.00900.6630 D38502-00 ⑫ ⑱ ⑲ R31279-00 ③ 6x R38497-01 ③ ⑤④ 6x	H40617-00 ⑤④ 6x 51.03901.0382 129 Ø 1,7 mm H40623-00 6x 51.03901.0298 144,5 Ø 1,25 mm MLS H50012-00 6x 51.03901.0338 144,5 Ø 	T50012-03 6x 51.90490.0070 (3x) +51.90490.0071 (3x)
















③ juego de juntas para camisa de cilindro / Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
 ⑫ con anillos para camisa de cilindro / mit Zylindertaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров
 ⑱ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров



X83155-01 6x 51.03905.0176 	P76602-00 24x 51.04902.0033 	X89572-01 6x 51.08902.0202 	X59545-01 6x 51.08901.0155 	X54670-02 ②④ 51.05904.0198 Gummi 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X83456-01 5x 51.03905.0157 X83457-01 51.03905.0161 	P76602-00 12x 51.04902.0033	X59542-01 6x 51.08902.0194 	X81555-01 6x 51.08901.0152 	X54094-01 51.05904.0132 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76390-01 K ← 51.01510.0150 105x130x12 RD FPM P76406-01 K → 120x140x13 LD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X83456-01 5x 51.03905.0157 X83457-01 51.03905.0161 	P76602-00 12x 51.04902.0033	X59542-01 6x 51.08902.0194 	X81555-01 6x 51.08901.0152 	X54094-01 51.05904.0132 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE

⑱ con junta de culata MLS / mit Mehrlagen-Zylinderkopfdichtung / with multilayer cylinder head gasket / avec joint de culasse multifeuilles / con guarnizione testata multistrato / с многослойной прокладкой головки блока цилиндров
 ②④ material cárter chapa de acero / Ölwanne material Stahlblech / oil pan material sheet steel / carter d'huile tôle d'acier / materiale coppa olio in lamiera d'acciaio / материал масляного картера - листовая сталь
 ⑤④ solo para motores con camisas de cilindro modificados / nur für Motoren mit modifizierten Zylinderlaufbüchsen / only for engines with modified cylinderliners / uniquement pour moteurs avec chemises modifiées / solo per motori con canna cilindro modificate / только для моторов с модифицированными гильзами цилиндров



MAN					
D 2876 LOH 05	6 Zyl.	12,8 Ltr.	S38355-00 ⑫ ⑬ ⑯ 51.00900.6643 +51.01510.6004 +51.02130.0032  S38399-00 ⑫ ⑬ ⑯ ⑤④ 51.00900.6659 +51.01510.6004 +51.02130.0032 D38444-00 ⑫ ⑤④ 51.00900.6658  D36546-00 ⑫ ⑱ 51.00900.6630  D38502-00 ⑫ ⑱ ⑲  R31279-00 ③ 6x R38497-01 ③ ⑤④ 6x	H40617-00 6x 51.03901.0382 129 Ø 1,7 mm  H40623-00 6x 51.03901.0298 144,5 Ø 1,25 mm MLS  H50012-00 6x 51.03901.0338 144,5 Ø 	T50012-03 6x 51.90490.0070 (3x) +51.90490.0071 (3x) 
D 2876 LUH 01 D 2876 LUH 02 D 2876 LUH 03	6 Zyl.	12,8	S37189-00 ⑫ ⑬ ⑯ 51.00900.6624 +51.01510.6004 +51.02130.0032 D31279-00 ⑫ ⑱ 51.00900.6558 D38437-00 ⑱ ⑲ 51.00900.6629	H40623-00 6x 51.03901.0298 144,5 Ø 1,25 mm MLS  H50012-00 6x 51.03901.0338 144,5 Ø 	T50552-00 6x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x)
E 0836 LOH 01 E 0836 LOH 02 E 0836 LOH 03	6 Zyl.	6,9	S38761-00 ⑫ ⑬ 51.00900.6756 D38760-00 ⑫ ⑱ 3x 51.00900-6757	H40691-00 3x 51.03901.0391 109 Ø 1,3 mm MLS 	T50009-00 3x 51.90020.0381 (8x) 




















[NEW]

③ juego de juntas para camisa de cilindro / Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра

⑫ con anillos para camisa de cilindro / mit Zylinderlaufbüchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров

⑱ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров



					
X83456-01 5x 51.03905.0157  X83457-01 51.03905.0161 	P76602-00 12x 51.04902.0033	X59542-01 6x 51.08902.0194 	X81555-01 6x 51.08901.0152 	X54094-01 51.05904.0132 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 6x 51.03905.0134 		X51012-01 6x 51.08902.0161 	X08234-01 6x 51.08901.0099 	X54094-01 51.05904.0132 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X53830-01 3x 51.03905.0155 Stahl 	P76690-00 ES 6x 51.04902.0027	X51011-01 6x 51.08902.0179 	X51010-01 6x 51.08901.0027 	X54549-01 51.05904.0139 	P76496-01 K ← 51.01510.0219 66x90x12 RD FPM P77838-01 K → 51.01510.7001 110x130x13 B SL LD PTFE ACM

⑱ con junta de culata MLS / mit Mehrlagen-Zylinderkopfdichtung / with multilayer cylinder head gasket / avec joint de culasse multifeuilles / con guarnizione testata multistrato / с многослойной прокладкой головки блока цилиндров

⑤④ solo para motores con camisas de cilindro modificados / nur für Motoren mit modifizierten Zylinderlaufbüchsen / only for engines with modified cylinderliners / uniquement pour moteurs avec chemises modifiées / solo per motori con canna cilindro modificate / только для моторов с модифицированными гильзами цилиндров

ES lado de admisión / Einlaßseite / intake side / côté admission / lato aspirazione / сторона впуска



MAN					
E 2542 E	12 Zyl.	20,6 Ltr.	D38438-00 93.21014.0021 4702001→	H40623-00 51.03901.0298 144,5 Ø 1,25 mm MLS	12x
E 2842 LE	12 Zyl.	21,6 Ltr.	S38507-00 (13) (16) D38438-00 (18) (19) R31279-00 (3) 12x	H40623-00 51.03901.0298 144,5 Ø 1,25 mm MLS	12x
E 2866 DOH 01	6 Zyl.	12,0 Ltr.	D31279-00 (12) (18) 6x D38437-00 (18) (19) 6x R31279-00 (3) 6x	H40623-00 51.03901.0298 144,5 Ø 1,25 mm MLS H50012-00 51.03901.0338 144,5 Ø	6x
E 2866 DUH E 2866 DUH 01 E 2866 DUH 02 E 2866 DUH 03 E 2866 DUH 04 E 2866 LUH 01 E 2866 LUH 02 G 2866 DUH 01 G 2866 DUH 02 G 2866 DUH 03 G 2866 DUH 04 G 2866 DUH 05 G 2866 DUM 01 G 2866 UH G 2866 UM	6 Zyl.	12,0 Ltr.	S38358-00 51.00900.6575 D31279-00 (12) (18) 51.00900.6558 D38437-00 (18) (19) 51.00900.6629 R31279-00 (3) 6x	H40623-00 51.03901.0298 144,5 Ø 1,25 mm MLS H50012-00 51.03901.0338 144,5 Ø	6x
E 2866 E E 2866 TE	6 Zyl.	12,0 Ltr.	S38508-00 (13) (16) D38438-00 (18) (19) B36546-00 (13) (16) 51.00900.6602 +51.01510.6004 +51.02130.0032	H40623-00 51.03901.0298 144,5 Ø 1,25 mm MLS	6x

(3) juego de juntas para camisa de cilindro / Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
 (16) con anillos para camisa de cilindro / mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров



X08233-01 51.03905.0134	12x	X51012-01 51.08902.0161	12x	X08234-01 51.08901.0099	12x
X08233-01 51.03905.0134	12x	X51012-01 51.08902.0161	12x	X08234-01 51.08901.0099	12x
X08233-01 51.03905.0134	6x	X51012-01 51.08902.0161	6x	X08234-02 51.08901.0099	6x
X08233-01 51.03905.0134	6x	X51012-01 51.08902.0161	6x	X08234-01 51.08901.0099	6x
X08233-01 51.03905.0134	6x	X51012-01 51.08902.0161	6x	X08234-01 51.08901.0099	6x
X08233-01 51.03905.0134	6x	X51012-01 51.08902.0161	6x	X08234-01 51.08901.0099	6x

(18) para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une testate / для головки блока цилиндров
 (19) con junta de culata MLS / mit Mehrlagen-Zylinderkopfdichtung / with multilayer cylinder head gasket / avec joint de culasse multifeuilles / con guarnizione testata multistrato / с многослойной прокладкой головки блока цилиндров



MAN					
E 2876 LUH 01 E 2876 LUH 02 E 2876 LUH 03 [NEW]	6 Zyl.	Ltr. 12,8	S38358-00 51.00900.6575 D31279-00 ⑫ ⑬ 6x 51.00900.6558 D38437-00 ⑱ ⑲ 6x 51.00900.6629 R31279-00 ③ 6x	H40623-00 6x 51.03901.0298 144,5 Ø 1,25 mm MLS H50012-00 6x 51.03901.0338 144,5 Ø 	T50552-00 6x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x)
G 2876 DUH 01 [NEW]	6 Zyl.	Ltr. 12,8	D31279-00 ⑫ ⑬ 6x 51.00900.6558 D38437-00 ⑱ ⑲ 6x 51.00900.6629 R31279-00 ③ 6x	H40623-00 6x 51.03901.0298 144,5 Ø 1,25 mm MLS H50012-00 6x 51.03901.0338 144,5 Ø 	T50552-00 6x 51.90490.0022 (2x) +51.90490.0023 (3x) +51.90490.0024 (1x)

③ juego de juntas para camisa de cilindro / Dichtsatz Zylinderaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
 ⑬ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров



X08233-01 6x 51.03905.0134 		X51012-01 6x 51.08902.0161 	X08234-02 6x 51.08901-0099 	X54094-01 6x 51.05904.0132 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE
X08233-01 6x 51.03905.0134 	P76944-00 ES 6x 51.04902.0028	X51012-01 6x 51.08902.0161 	X08234-02 6x 51.08901-0099 	X54094-01 6x 51.05904.0132 	P76327-01 K ← 51.01510.6004 105x130x12/13 RD FPM P76497-01 K → 51.01510.0206 120x140x13 LD PTFE

⑱ con junta de culata MLS / mit Mehrlagen-Zylinderkopfdichtung / with multilayer cylinder head gasket / avec joint de culasse multifeuilles / con guarnizione testata multistrato / с многослойной прокладкой головки блока цилиндров
 ES lado de admisión / Einlaßseite / intake side / côté admission / lato aspirazione / сторона впуска

