









SCANIA

SCANIA

|  Code |  |
|---|---|
| D | |
| D 11 | 454 |
| D 11 R 23 | 454 |
| D 14 | 468 |
| D 8 | 452 |
| D 8.01 B09 | 452 |
| D 8.02 B09 | 452 |
| D 8 R 01 | 452 |
| DC 11.01 | 458 |
| DC 11.02 | 458 |
| DC 11.03 | 458 |
| DC 11.04 | 458 |
| DC 11.08 | 462 |
| DC 11.09 | 462 |
| DC 12.01 | 466 |
| DC 12.06 | 468 |
| DC 12.09 | 468 |
| DC 12.10 | 468 |
| DC 12.13 | 468 |
| DC 12.14 | 468 |
| DC 12.15 | 468 |
| DC 12.17 | 468 |
| DC 12.18 | 468 |
| DC 12.22 | 468 |
| DC 12.23 | 468 |
| DC 12.24 | 468 |
| DC 12.26 | 468 |
| DC 13.05 | 468 |
| DC 13.06 | 468 |
| DC 13.07 | 468 |
| DC 13.08 | 468 |
| DC 13.10 | 468 |
| DC 13.11 | 468 |
| DC 16.01 | 470 |
| DC 16.02 | 470 |
| DC 16.03 | 472 |
| DC 16.04 | 470-472 |
| DC 16.05 | 470-472 |
| DC 16.06 | 470-472 |
| DC 16.08 | 470-472 |
| DC 16.09 | 470-472 |
| DC 16.17 | 470-472 |
| DC 16.18 | 470-472 |
| DC 16.19 | 470-472 |
| DC 16.21 | 472 |


|  Code |  |
|--|---|
| DC 9.01 | 452 |
| DC 9.02 | 452 |
| DC 9.03 | 452 |
| DC 9.04 | 452 |
| DC 9.05 | 452 |
| DC 9.06 | 452 |
| DC 9.11 | 454 |
| DC 9.12 | 454 |
| DC 9.13 | 454 |
| DC 9.16 | 454 |
| DC 9.17 | 454 |
| DC 9.18 | 454 |
| DC 9.20 | 454 |
| DN 11.01 | 458 |
| DN 11.01 B10 | 458 |
| DN 11.01 C 09 | 458 |
| DN 11.04 B10 | 458 |
| DN 11.04 C 01 | 458 |
| DN 11.06 | 458 |
| DN 11.06 B | 458 |
| DN 11.06 C | 458 |
| DN 11.07 | 458 |
| DN 11.08 | 458 |
| DN 11.08 B01 | 458 |
| DN 8.01 | 452 |
| DN 9.01 | 452 |
| DS 11 | 456 |
| DS 11.01 | 456 |
| DS 11.01 B 06 | 456 |
| DS 11.02 | 456 |
| DS 11.10 | 456 |
| DS 11.14 | 462 |
| DS 11.15 | 464 |
| DS 11.15 B | 456 |
| DS 11.18 | 456 |
| DS 11.22 | 456 |
| DS 11.23 | 456 |
| DS 11.25 | 456 |
| DS 11.34 | 456 |
| DS 11.34 B | 456 |
| DS 11.34 B0 6 | 456 |
| DS 11.34 C | 456 |
| DS 11.71 | 456 |
| DS 11.71 C | 456 |
| DS 11.72 | 456 |

|  Code |  |
|--|--|
| DS 11.73 | 464 |
| DS 11.73 B | 456 |
| DS 11.74 | 456 |
| DS 11.74 C | 456 |
| DS 11.75 | 464 |
| DS 11.76 | 456 |
| DS 11.77 | 456 |
| DS 11.78 | 456 |
| DS 14 | 470 |
| DS 14.01 | 470 |
| DS 14.01 L 01 | 470 |
| DS 14.06 | 470 |
| DS 14.06 L 01 | 470 |
| DS 14.07 | 470 |
| DS 14 LB 05 | 470 |
| DS 14 LB 08 | 470 |
| DS 8 | 452 |
| DS 8.01 | 452 |
| DS 8.01 B10 | 452 |
| DS 8.01 B11 | 452 |
| DS 8.01 B12 | 452 |
| DS 8.05 | 452 |
| DS 8.05 B | 452 |
| DS 8.06 | 452 |
| DS 9.01 | 452 |
| DS 9.02 | 452 |
| DS 9.03 B 01 | 452 |
| DS 9.03 B 02 | 452 |
| DS 9.05 | 452 |
| DS 9.05 B 01 | 454 |
| DS 9.05 B 02 | 452 |
| DS 9.06 | 452 |
| DS 9.08 | 452 |
| DSC 11.01 | 460 |
| DSC 11.06 | 460 |
| DSC 11.08 | 460 |
| DSC 11.13 | 462 |
| DSC 11.16 | 462 |
| DSC 11.17 | 462 |
| DSC 11.18 | 462 |
| DSC 11.21 | 462 |
| DSC 11.22 | 462 |
| DSC 11.23 | 462 |
| DSC 11.24 | 462 |
| DSC 11.30 | 462 |

|  Code |  |
|--|---|
| DSC 11.35 | 460 |
| DSC 11.39 | 462 |
| DSC 11.70 | 462 |
| DSC 11.79 | 464 |
| DSC 11.81 | 460 |
| DSC 12.01 | 466 |
| DSC 12.02 | 466 |
| DSC 12.05 | 468 |
| DSC 14.01 | 470 |
| DSC 14.02 | 470 |
| DSC 14.03 | 470 |
| DSC 14.03 L07 | 470 |
| DSC 14.04 | 470 |
| DSC 14.05 | 470 |
| DSC 14.06 | 470 |
| DSC 14.07 L 01 | 470 |
| DSC 14.08 | 470 |
| DSC 14.09 | 470 |
| DSC 14.10 | 470 |
| DSC 14.13 | 470 |
| DSC 14.15 | 470 |
| DSC 14.16 | 470 |
| DSC 9.01 | 452 |
| DSC 9.02 | 452 |
| DSC 9.07 | 452 |
| DSC 9.08 | 452 |
| DSC 9.09 | 452 |
| DSC 9.10 | 452 |
| DSC 9.11 | 452 |
| DSC 9.12 | 452 |
| DSC 9.13 | 452 |
| DSC 9.15 | 452 |
| DSI 8.01 | 452 |
| DSI 8.01 B | 452 |
| DT 12.06 | 468 |
| DT 12.11 | 468 |
| DT 12.12 | 468 |
| DT 12.14 | 468 |
| DT 12.17 | 468 |
| DT 12.18 | 468 |
| DTC 11.01 | 460 |
| DTC 11.02 | 460 |

|  Code |  |
|--|---|
|--|---|

|  Code |  |
|--|---|
|--|---|

|  Code |  |
|--|---|
|--|---|

|  Code |  |
|--|---|
|--|---|

| SCANIA | | | | |
|--|--|--------|---|---|
| D 8 D 8 R 01 D 8.01 B09 D 8.02 B09 | | | S32113-00 ⑬ 550 180 D34113-00 3x 550 182 | H50378-00 3x 257 381 +271 983 (2x) +332 448 (4x) +332 450 (4x) +332 452 (2x) 131 Ø |
| DS 8 DS 8.01 DS 8.01 B10 DS 8.01 B11 DS 8.01 B12 | | | S32114-00 ⑬ 550 189 1 01/80→ D34113-00 3x 550 182 | H50378-00 3x 257 381 +271 983 (2x) +332 448 (4x) +332 450 (4x) +332 452 (2x) 131 Ø |
| DN 8.01 DSI 8.01 DSI 8.01 B DS 8.05 DS 8.05 B DS 8.06 | 2 - series | 01/81→ | S32114-00 ⑬ 550 189 D34113-00 3x 550 182 | H50378-00 3x 257 381 +271 983 (2x) +332 448 (4x) +332 450 (4x) +332 452 (2x) 131 Ø |
| DC 9.01 DC 9.02 DC 9.03 DC 9.04 DC 9.05 DC 9.06 [NEW] | P,G,R,T - series 4 - series | 08/96→ | S38377-00 ⑬ ⑯ 551 560 S38506-00 ⑬ ⑰ D38439-00 ⑱ ⑲ 551 570 D38693-00 ⑱ ⑳ 551 573 R38495-01 ⑳ 1 302 827 +323 622 (2x) | H04604-00 6x 1 403 258 134 Ø 1,3 mm |
| DN 9.01 DS 9.01 DSC 9.01 DS 9.02 DSC 9.02 DS 9.03 B 01 DS 9.03 B 02 DS 9.05 DS 9.05 B 02 DS 9.06 DSC 9.07 DS 9.08 DSC 9.08 DSC 9.09 DSC 9.10 DSC 9.11 DSC 9.12 DSC 9.13 DSC 9.15 | 2 - series 3 - series 3 - series bus 4 - series | 01/85→ | S31112-00 ⑬ 551 449 S38376-00 ⑬ ⑰ D34112-00 ⑱ 551 484 B31112-00 ⑬ R38495-01 ⑳ 1 302 827 +323 622 (2x) | H04604-00 6x 1 403 258 134 Ø 1,3 mm |

⑬ juego de juntas para camisa de cilindro / Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
 ⑯ con anillos para camisa de cilindro / mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров
 ⑰ sin anillos de camisa de cilindro / ohne Zylinderlaufbuchsenringe / without cylinder liner rings / sans joints de chemises de cylindre / senza anelli tenuta canna cilindro / без прокладок гильз цилиндров



| | | | | |
|---|--|--------------------------------------|--|---|
| X53189-01 3x 258 458 Kork | X57001-01 3x 277 662 | X51477-01 3x 257 209 | E38465-00 550 037 | P76339-01 K ← 338 643 80x100x12 RD FPM P76422-01 K → 231 938 130x160x12 LD FPM |
| X53189-01 3x 258 458 Kork | X57001-01 3x 277 662 | X51477-01 3x 257 209 | E38465-00 550 037 | P76339-01 K ← 338 643 80x100x12 RD FPM P76422-01 K → 231 938 130x160x12 LD FPM |
| X53189-01 3x 258 458 Kork | X57001-01 3x 277 662 | X51477-01 3x 257 209 | E38465-00 550 037 | P76339-01 K ← 338 643 80x100x12 RD FPM P76422-01 K → 231 938 130x160x12 LD FPM |
| X59881-01 ⑳ 6x 1 425 921 ACM | N93168-00 12x 1 304 293 (12x) P76891-00 1 304 293 | X59546-01 2x 1 437 296 | X81496-01 6x 1 336 138 | E38468-00 551 450 X54972-01 1 412 666 |
| X83462-01 ⑳ 6x 1 420 776 | | | | P77752-01 K ← 369 477 80x100x12 B SL RD PTFE P77807-01 K → 369 478 130x160x13 A SL LD PTFE |
| X04607-01 6x 344 426 NBR | | X55063-01 6x 329 498 | X51020-01 5x 364 791 X81291-01 1x 364 792 | E38468-00 551 450 X04676-01 551 450 |

⑱ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров
 ⑳ material culata aluminio / Zylinderkopphaubenmaterial Aluminium / valve cover material aluminium / couvre-culasse aluminium / materiale coperchio valvole in alluminio / материал кожуха головки блока цилиндров - алюминий
 ㉑ material culata plástico / Zylinderkopphaubenmaterial Kunststoff / valve cover material plastic / joint couvre-culasse matière plastique / materiale coperchio valvole in plastica / материал кожуха головки блока цилиндров - пластик



| SCANIA | | | | |
|---|--------------------------------|--|--|---|
| DS 9.05 B 01 | | S31112-00 ⑬ 551 449 S38376-00 ⑬ ⑰ D34112-00 ⑱ 551 484 R38495-01 ③ 6x 1 302 827 +323 622 (2x) | H04604-00 6x 1 403 258 134 Ø 1,3 mm | T04604-00 6x 346 318 (6x) |
| DC 9.11 DC 9.12 DC 9.13 DC 9.16 DC 9.17 DC 9.18 DC 9.20 | P,G,R,T - series 4 - series | 09/04→ D38280-00 ⑱ 1 725 112 | H80348-00 5x 1 468 555 133 Ø 1 mm | T38281-00 5x 1 852 442 (6x) |
| D 11 D 11 R 23 | | S31281-00 ⑬ ⑱ 550 181 ① 01/75-12/79 S31281-01 ⑬ ⑱ 551 430 ① 01/75-12/79 S38379-00 ⑬ ⑰ ① 01/75-12/79 D34283-00 2x 550 150 ① →12/74 D34812-00 2x 550 183 ① 01/75-12/79 D34281-00 ⑱ 2x 551 456 ① 01/75-12/79 R38494-01 ③ 6x | H50020-00 2x 177 014 144 Ø ① →12/74 H04002-00 2x 373 472 147 Ø 1,3 mm MLS ① 01/75-12/79 H80391-00 2x 346 143 +257 737 (6x) +332 448 (1x) +332 449 (2x) +332 450 (11x) +332 451 (1x) 147 Ø ① 01/75-12/79 | T80391-00 2x 346 318 (16x) |

③ juego de juntas para camisa de cilindro / Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра

⑱ con anillos para camisa de cilindro / mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров

⑰ sin anillos de camisa de cilindro / ohne Zylinderlaufbuchsenringe / without cylinder liner rings / sans joints de chemises de cylindre / senza anelli tenuta canna cilindro / без прокладок гильз цилиндров



| X04607-01 6x 344 426 NBR | | X55063-01 6x 329 498 | X51020-01 6x 364 791 | E38468-00 551 450 | P76339-01 K ← 338 643 80x100x12 RD FPM P76422-01 K → 231 938 130x160x12 LD FPM |
|--|--|--------------------------------------|--|--|--|
| X59445-01 U 5x 1 449 542 X59446-01 O 5x 1 505 366 | N93148-01 5x 1 920 860 (4x) P76890-00 20x 1 920 860 | X59444-01 5x 1 516 474 | X59443-01 5x 1 309 051 | X54979-01 1 744 776 | P77750-01 K ← 1 392 708 120x140x12 A SL RD PTFE FPM P77749-01 K → 1 433 183 145x175x13 A SL PTFE FPM |
| X04001-01 2x 258 459 Kork | | X03936-01 2x 277 632 | X03712-01 L 2x 277 273 X03723-01 R 2x 277 272 | E38464-00 550 036 X54011-01 551 466 | P76339-01 K ← 338 643 80x100x12 RD FPM P76422-01 K → 231 938 130x160x12 LD FPM P76082-01 N 35x62x10 FPM |

⑱ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une testate / per una testata / для головки блока цилиндров

O arriba / oben / top / haut / superiore / сверху

U debajo / unten / bottom / bas / inferiore / снизу



| SCANIA | | | |
|---|---|--|--|
| DS 11 DS 11.01 DS 11.01 B 06 DS 11.02 DS 11.10 DS 11.15 B DS 11.18 DS 11.22 DS 11.23 DS 11.25 DS 11.34 DS 11.34 B DS 11.34 C DS 11.34 B0 6 DS 11.71 DS 11.71 C DS 11.72 DS 11.73 B DS 11.74 DS 11.74 C DS 11.76 DS 11.77 DS 11.78 | S31281-00 ⑬ ⑯ 550 181 ① 01/75-12/79 S31281-01 ⑬ ⑯ 551 430 ① 01/75-12/79 S38379-00 ⑬ ⑰ ① 01/75-12/79 A31280-00 ⑭ 551 459 ① 01/80→ →5307928SSS S38378-00 ⑬ ⑰ ① 01/80→ →5307928SSS S32115-00 ⑬ 551 504 →5307929SSS→ S38505-00 ⑬ ⑰ →5307929SSS→ D34283-00 2x 550 150 ① →12/74 D34812-00 2x 550 183 ① 01/75-12/79 D34115-00 2x 551 500 →5307929SSS→ D34281-00 ⑱ 2x 551 456 ① 01/75→ →5307928SSS R38494-01 ③ 6x ① 01/75→ →5307928SSS R38492-00 ③ 6x 1 312 934 (2x) +1 302 828 (1x) →5307929SSS→ | H50020-00 2x 177 014 144 Ø ① →12/74 H80391-00 2x 346 143 +257 737 (6x) +332 448 (1x) +332 449 (2x) +332 450 (11x) +332 451 (1x) 147 Ø ① 01/75-12/79 →5307928SSS H04002-00 2x 373 472 147 Ø 1,3 mm MLS ① 01/80→ | T80391-00 2x 346 318 (16x) |

③ juego de juntas para camisa de cilindro / Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
 ⑬ sin anillos de camisa de cilindro / ohne Zylinderlaufbuchsenringe / without cylinder liner rings / sans joints de chemises de cylindre / senza anelli tenuta canna cilindro / без прокладок гильз цилиндров
 ⑭ sin retén cigüeñal / ohne Wellendichtring-Kurbelwelle / without crankshaft oil seal / sans bague d'étanchéité - vilebrequin / senza paraolio albero motore / без уплотнительного кольца коленчатого вала



| X04001-01 2x 258 459 Kork | | X03936-01 2x 277 632 ① 01/75→ →5307928SSS X56651-01 2x 1 301 629 →5307929SSS→ X56652-01 4x 1 384 554 →5307929SSS→ | X03712-01 2x 277 273 ① 01/75→ →5307928SSS X03723-01 2x 277 272 ① 01/75→ →5307928SSS X81383-01 L 2x 378 264 →5307929SSS→ X81384-01 R 2x 1 109 288 →5307929SSS→ | E38464-00 550 036 | P76339-01 K ← 338 643 80x100x12 RD FPM P76422-01 K → 231 938 130x160x12 LD FPM |
|--|--|---|--|---------------------------------|---|

⑯ con anillos para camisa de cilindro / mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров
 ⑰ sin anillos de camisa de cilindro / ohne Zylinderlaufbuchsenringe / without cylinder liner rings / sans joints de chemises de cylindre / senza anelli tenuta canna cilindro / без прокладок гильз цилиндров
 ⑱ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров



| SCANIA | | | | | |
|--|------------|------------|---|--|---|
| DC 11.01 DC 11.02 DC 11.03 DC 11.04 | 4 - series | 03/98→ | S38397-00 ⑬ ⑯ 551 356 → 6 119 599 SSS, 8 004 779 SLA D34262-00 551 363 → 6 119 599 SSS, 8 004 779 SLA D34011-00 ⑯ 6x 551350 → 6119599 D34768-00 ⑯ 550 469 → 6 119 600 SSS, 8 004 780 SLA→ D34261-00 ⑯ 6x 501032 → 6119600→ R34493-00 ③ 6x 1 862 376 +1 328 995 (1x) | H50300-00 6x 1 444 941 133 Ø → 6119599 H80348-00 6x 1 468 555 133 Ø 1 mm → 6119600→ | T38281-00 6x 1 852 442 (6x) |
| DN 11.01 DN 11.01 C 09 DN 11.01 B10 DN 11.04 C 01 DN 11.04 B10 DN 11.06 DN 11.06 B DN 11.06 C DN 11.07 DN 11.08 DN 11.08 B01 | | | A31280-00 ⑭ 551 459 S31280-00 ⑬ 551459 S38378-00 ⑬ ⑰ D34281-00 ⑯ 2x 551 456 R38494-01 ③ 6x | H80391-00 2x 346 143 +257 737 (6x) +332 448 (1x) +332 449 (2x) +332 450 (11x) +332 451 (1x) 147 Ø → 12/79 H04002-00 2x 373 472 147 Ø 1,3 mm MLS → 01/80→ | |

③ juego de juntas para camisa de cilindro / Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра

⑭ sin retén cigüeñal / ohne Wellendichtring-Kurbelwelle / without crankshaft oil seal / sans bague d'étanchéité - vilebrequin / senza paraolio albero motore / без уплотнительного кольца коленчатого вала

⑯ con anillos para camisa de cilindro / mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров



| X53831-01 0 6x 1367027 NBR → 6119599 X53832-01 U 6x 1367028 NBR → 6119599 X53925-01 6x 1 411 851 → 5731560→ X53928-01 6x 1 401 984 → 5731560→ X53926-01 U 6x 1 542 104 X53927-01 6x 1 414 422 | P76890-00 24x 1 920 860 | P59444-01 6x 1 404 306 | X59443-01 6x 1 309 051 | E38282-00 551 351 | P77750-01 K ← 1 392 708 120x140x12 A SL RD PTFE FPM P77749-01 K → 1 433 183 145x175x13 A SL PTFE FPM |
|--|-----------------------------------|--------------------------------------|--|---|---|
| X04001-01 2x 258 459 Kork | | X03936-01 2x 277 632 | X03712-01 L 2x 277 273 X03723-01 R 2x 277 272 | E38464-00 550 036 X54011-01 551466 | P76339-01 K ← 338 643 80x100x12 RD FPM P76422-01 K → 231 938 130x160x12 LD FPM P76083-01 N 11098710 35x62x7 NBR |

⑰ sin anillos de camisa de cilindro / ohne Zylinderlaufbuchsenringe / without cylinder liner rings / sans joints de chemises de cylindre / senza anelli tenuta canna cilindro / без прокладок гильз цилиндров

⑱ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров

0 arriba / oben / top / haut / superiore / сверху

U debajo / unten / bottom / bas / inferiore / снизу



| SCANIA | | | | | | |
|-------------------------------------|------------------------------|-------------|--|---|--|--|
| DSC 11.01 | | | <p>A31280-00 ⑭</p> <p>551 459 01/80→ →4070104SN</p> <p>S38378-00 ⑬ ⑰</p> <p> 01/80→ →4070104SN</p> <p>S32115-00 ⑬</p> <p>551 504 4070105SN→</p> <p>S38505-00 ⑬ ⑰</p> <p> 4070105SN→</p> <p>D34115-00 2x</p> <p>551 500 4070105SN→</p> <p>D34281-00 ⑱ 2x</p> <p>551 456 01/80→ →4070104SN</p> <p>R38494-01 ③ 6x</p> <p> 01/80→ →4070104SN</p> <p>R38492-00 ③ 6x</p> <p>1 312 934 (2x) +1 302 828 (1x) 4070105SN→</p> | <p>H80391-00 2x</p> <p>346 143 +257 737 (6x) +332 448 (1x) +332 449 (2x) +332 450 (11x) +332 451 (1x) 147 Ø →12/79 →4070104SN</p> <p>H04002-00 2x</p> <p>373 472 147 Ø 1,3 mm MLS 01/80→</p> | | |
| DTC 11.01 DTC 11.02 DSC 11.81 | 3 - series 3 - series bus | 01/91-12/97 | <p>D38418-00 ⑱</p> <p>551 525</p> <p>R38492-00 ③ 6x</p> <p>1 312 934 (2x) +1 302 828 (1x)</p> | <p>H04002-00 2x</p> <p>373 472 147 Ø 1,3 mm MLS</p> | | |
| DSC 11.06 DSC 11.08 DSC 11.35 | | | <p>A31280-00 ⑭</p> <p>551 459 01/80→ →4070104SN</p> <p>S38378-00 ⑬ ⑰</p> <p> 01/80→ →4070104SN</p> <p>S32115-00 ⑬</p> <p>551 504 4070105SN→</p> <p>S38505-00 ⑬ ⑰</p> <p> 4070105SN→</p> <p>D34115-00 2x</p> <p>551 500 4070105SN→</p> <p>D34281-00 ⑱ 2x</p> <p>551 456 01/80→ →4070104SN</p> <p>R38494-01 ③ 6x</p> <p> 01/80→ →4070104SN</p> <p>R38492-00 ③ 6x</p> <p>1 312 934 (2x) +1 302 828 (1x) 4070105SN→</p> | <p>H80391-00 2x</p> <p>346 143 +257 737 (6x) +332 448 (1x) +332 449 (2x) +332 450 (11x) +332 451 (1x) 147 Ø 01/80→ →4070104SN</p> <p>H04002-00 2x</p> <p>373 472 147 Ø 1,3 mm MLS</p> | | |

⑭ juego de juntas para camisa de cilindro / Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра

⑰ sin retén cigüeñal / ohne Wellendichtring-Kurbelwelle / without crankshaft oil seal / sans bague d'étanchéité - vilebrequin / senza paraolio albero motore / без уплотнительного кольца коленчатого вала



| <p>X04001-01 2x</p> <p>258 459 Kork</p> | | <p>X03936-01 2x</p> <p>277 632 01/80→ →4070104SN</p> <p>X56651-01 2x</p> <p>1 301 629 4070105SN→</p> <p>X56652-01 4x</p> <p>1 384 554 4070105SN→</p> | <p>X03712-01 2x</p> <p>277 273 01/80→ →4070104SN</p> <p>X03723-01 2x</p> <p>277 272 01/80→ →4070104SN</p> <p>X81383-01 L 2x</p> <p>378 264 4070105SN→</p> <p>X81384-01 R 2x</p> <p>1 109 288 4070105SN→</p> | <p>E38464-00</p> <p>550 036</p> | <p>P76339-01 K ←</p> <p>338 643 80x100x12 RD FPM</p> <p>P76422-01 K →</p> <p>231 938 130x160x12 LD FPM</p> <p>P77807-01 K →</p> <p>369 478 130x160x13 A SL LD PTFE</p> |
|--|--|---|---|--|---|
| <p>X04001-01 2x</p> <p>258 459 Kork</p> | | <p>X56652-01 4x</p> <p>1 384 554</p> <p>X59541-01 2x</p> <p>1 384 555</p> | <p>X81383-01 L 2x</p> <p>378 264</p> <p>X81384-01 R 2x</p> <p>1 109 288</p> | <p>E38463-00</p> <p>371 503</p> | <p>P76339-01 K ←</p> <p>338 643 80x100x12 RD FPM</p> <p>P76422-01 K →</p> <p>231 938 130x160x12 LD FPM</p> |
| <p>X04001-01 2x</p> <p>258 459 Kork</p> | | <p>X03936-01 2x</p> <p>277 632 01/80→ →4070104SN</p> <p>X56651-01 2x</p> <p>1 301 629 4070105SN→</p> <p>X56652-01 4x</p> <p>1 384 554 4070105SN→</p> | <p>X03712-01 2x</p> <p>277 273 01/80→ →4070104SN</p> <p>X03723-01 2x</p> <p>277 272 01/80→ →4070104SN</p> <p>X81383-01 L 2x</p> <p>378 264 4070105SN→</p> <p>X81384-01 R 2x</p> <p>1 109 288 4070105SN→</p> | <p>E38464-00</p> <p>550 036</p> | <p>P76339-01 K ←</p> <p>338 643 80x100x12 RD FPM</p> <p>P76422-01 K →</p> <p>231 938 130x160x12 LD FPM</p> |

⑰ sin anillos de camisa de cilindro / ohne Zylinderlaufbüchsenringe / without cylinder liner rings / sans joints de chemises de cylindre / senza anelli tenuta canna cilindro / без прокладок гильз цилиндров

⑱ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров



| SCANIA | | | | | |
|---|------------------------------|-------------|---|--|--|
| DC 11.08 DC 11.09 | P,G,R,T - series | 03/04→ | D38280-00 ⑱ 1 725 112 | H80348-00 6x 1 468 555 133 Ø 1 mm | T38281-00 1 852 442 (6x) |
| DSC 11.13 DSC 11.16 DSC 11.17 DSC 11.18 DSC 11.21 DSC 11.22 DSC 11.23 DSC 11.24 DSC 11.30 DSC 11.39 DSC 11.70 | 3 - series 3 - series bus | 05/88→ | A31280-00 ⑭ 551 459 → 4070104SN S38378-00 ⑬ ⑰ → 4070104SN S32115-00 ⑬ 551 504 → 4070105SN→ S38505-00 ⑬ ⑰ → 4070105SN→ D34115-00 2x 551 500 → 4070105SN→ D34281-00 ⑱ 2x 551 456 → 4070104SN R38494-01 ③ 6x → 4070104SN R38492-00 ③ 6x 1 312 934 (2x) +1 302 828 (1x) → 4070105SN→ | H80391-00 2x 346 143 +257 737 (6x) +332 448 (1x) +332 449 (2x) +332 450 (11x) +332 451 (1x) 147 Ø → 4070104SN H04002-00 2x 373 472 147 Ø 1,3 mm MLS | |
| DS 11.14 | | 01/81-05/88 | S38378-00 ⑬ ⑰ → 5307928SSS S32115-00 ⑬ 551 504 → 5307929SSS→ S38505-00 ⑬ ⑰ → 5307929SSS→ D34115-00 2x 551 500 → 5307929SSS→ R38492-00 ③ 6x 1 312 934 (2x) +1 302 828 (1x) → 5307929SSS→ | H04002-00 2x 373 472 147 Ø 1,3 mm MLS | T80391-00 2x 346 318 (16x) |

⑬ juego de juntas para camisa de cilindro / Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра

⑭ sin retén cigüeñal / ohne Wellendichtring-Kurbelwelle / without crankshaft oil seal / sans bague d'étanchéité - vilebrequin / senza paraolio albero motore / без уплотнительного кольца коленчатого вала

⑰ sin anillos de camisa de cilindro / ohne Zylinderlaufbüchsenringe / without cylinder liner rings / sans joints de chemises de cylindre / senza anelli tenuta canna cilindro / без прокладок гильзы цилиндров




| X59445-01 U 6x 1 449 542 | P76890-00 24x 1 920 860 | X59444-01 6x 1 516 474 | X59443-01 6x 1 309 051 | | P77750-01 K ← 1 392 708 120x140x12 A SL RD PTFE FPM P77749-01 K → 1 433 183 145x175x13 A SL PTFE FPM |
|--|-----------------------------------|---|--|---------------------------------|---|
| X59446-01 O 6x 1 505 366 | | X03936-01 2x 277 632 → 4070104SN X56651-01 2x 1 301 629 → 4070105SN→ X56652-01 4x 1 384 554 → 4070105SN→ | X03712-01 2x 277 273 → 4070104SN X03723-01 2x 277 272 → 4070104SN X81383-01 L 2x 378 264 → 4070105SN→ X81384-01 R 2x 1 109 288 → 4070105SN→ | E38464-00 550 036 | P76339-01 K ← 338 643 80x100x12 RD FPM P76422-01 K → 231 938 130x160x12 LD FPM |
| X04001-01 2x 258 459 Kork | | X56651-01 2x 1 301 629 → 5307929SSS→ X56652-01 4x 1 384 554 → 5307929SSS→ | X03712-01 2x 277 273 → 5307928SSS X03723-01 2x 277 272 → 5307928SSS X81383-01 L 2x 378 264 → 5307929SSS→ X81384-01 R 2x 1 109 288 → 5307929SSS→ | E38464-00 550 036 | P76339-01 K ← 338 643 80x100x12 RD FPM P76422-01 K → 231 938 130x160x12 LD FPM |

⑱ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров

O arriba / oben / top / haut / superiore / сверху

U debajo / unten / bottom / bas / inferiore / снизу



| SCANIA | | 1 | | | | | |
|----------------------|------------|-------------|--|---|---|--|--|
| DS 11.15 | 2 - series | 01/81-12/86 | <p>A31280-00 ⑭</p> <p>551 459 → 5307928SSS</p> <p>S38378-00 ⑬ ⑰</p> <p>→ 5307928SSS</p> <p>S32115-00 ⑬</p> <p>551 504 → 5307929SSS→</p> <p>S38505-00 ⑬ ⑰</p> <p>→ 5307929SSS→</p> <p>D34115-00 2x</p> <p>551 500 → 5307929SSS→</p> <p>D34281-00 ⑱ 2x</p> <p>551 456 → 5307928SSS</p> <p>R38494-01 ③ 6x</p> <p>→ 5307928SSS</p> <p>R38492-00 ③ 6x</p> <p>1 312 934 (2x) +1 302 828 (1x) → 5307929SSS→</p> | <p>H80391-00 2x</p> <p>346 143 +257 737 (6x) +332 448 (1x) +332 449 (2x) +332 450 (11x) +332 451 (1x) 147 Ø → 5307928SSS</p> <p>2x </p> <p>H04002-00 2x</p> <p>373 472 147 Ø 1,3 mm MLS</p> <p></p> | | | |
| DS 11.73 DS 11.75 | | 05/88→ | <p>A31280-00 ⑭</p> <p>551 459 → 5307928SSS</p> <p>S38378-00 ⑬ ⑰</p> <p>→ 5307928SSS</p> <p>S32115-00 ⑬</p> <p>551 504 → 5307929SSS→</p> <p>S38505-00 ⑬ ⑰</p> <p>→ 5307929SSS→</p> <p>D34115-00 2x</p> <p>551 500 → 5307929SSS→</p> <p>D34281-00 ⑱ 2x</p> <p>551 456 → 5307928SSS</p> <p>R38494-01 ③ 6x</p> <p>→ 5307928SSS</p> <p>R38492-00 ③ 6x</p> <p>1 312 934 (2x) +1 302 828 (1x) → 5307929SSS→</p> | <p>H04002-00 2x</p> <p>373 472 147 Ø 1,3 mm MLS</p> <p></p> <p>T80391-01 2x</p> <p>225 898 (11x) +258 508 (3x) → 5317472SSS</p> <p></p> <p>T04002-00 2x</p> <p>346 318 (11x) +358 148 (3x) → 5317473SSS→</p> <p></p> | | | |
| DSC 11.79 | 4 - series | 05/96→ | <p>S38718-00 ⑫ ⑬ ⑯</p> <p>551 528</p> <p>D38418-00 ⑱ 2x</p> <p>551 525</p> <p>R38492-00 ③ 6x</p> <p>1 312 934 (2x) +1 302 828 (1x)</p> | <p>H04002-00 2x</p> <p>373 472 147 Ø 1,3 mm MLS</p> <p></p> | <p>T04002-00 2x</p> <p>346 318 (11x) +358 148 (3x)</p> <p></p> | | |

③ juego de juntas para camisa de cilindro / Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра

⑫ sin retén cigüeñal / ohne Wellendichtring-Kurbelwelle / without crankshaft oil seal / sans bague d'étanchéité - vilebrequin / senza paraolio albero motore / без уплотнительного кольца коленчатого вала



| X04001-01 2x | 258 459 Kork | | | X03936-01 2x | 277 632 → 5307928SSS | | X03712-01 2x | 277 273 → 5307928SSS | | E38464-00 | 550 036 | | P76339-01 K ← | 338 643 80x100x12 RD FPM P76422-01 K → | 231 938 130x160x12 LD FPM | | | |
|-------------------------------|---------------------|-----------------|--|----------------------------------|----------------------------|-----|-----------------------|----------------------------|--|-----------------------|-----------|--|----------------------|--|---------------------------------|----------------------|--|---------------------------------------|
| | | | | X56651-01 2x | 1 301 629 → 5307929SSS→ | | X03723-01 2x | 277 272 → 5307928SSS | | | | | | | | | | |
| | | | | X56652-01 4x | 1 384 554 → 5307929SSS→ | | X81383-01 L 2x | 378 264 → 5307929SSS→ | | | | | | | | | | |
| | | | | | | | X81384-01 R 2x | 1 109 288 → 5307929SSS→ | | | | | | | | | | |
| X04001-01 2x | 258 459 Kork | | | X03936-01 2x | 277 632 → 5307928SSS | | X03712-01 2x | 277 273 → 5307928SSS | | E38464-00 | 550 036 | | P76339-01 K ← | 338 643 80x100x12 RD FPM P76422-01 K → | 231 938 130x160x12 LD FPM | | | |
| | | | | X56651-01 2x | 1 301 629 → 5307929SSS→ | | X03723-01 2x | 277 272 → 5307928SSS | | | | | | | | | | |
| | | | | X56652-01 4x | 1 384 554 → 5307929SSS→ | | X81383-01 L 2x | 378 264 → 5307929SSS→ | | | | | | | | | | |
| | | | | | | | X81384-01 R 2x | 1 109 288 → 5307929SSS→ | | | | | | | | | | |
| V31280-00 258 459 (2x) | X04001-01 2x | 258 459 Kork | | N93168-00 1 304 293 (12x) | P76891-00 1 304 293 | 12x | X56652-01 4x | 1 384 554 | | X81383-01 L 2x | 378 264 | | E38463-00 | 371 503 | | P77752-01 K ← | 369 477 80x100x12 B SL RD PTFE P77807-01 K → | 369 478 130x160x13 A SL LD PTFE |
| | | | | | | | X59541-01 2x | 1 384 555 | | X81384-01 R 2x | 1 109 288 | | | | | | | |

⑱ con anillos para camisa de cilindro / mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров

⑰ sin anillos de camisa de cilindro / ohne Zylinderlaufbuchsenringe / without cylinder liner rings / sans joints de chemises de cylindre / senza anelli tenuta canna cilindro / без прокладок гильз цилиндров

⑱ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров



| SCANIA | | | | | |
|------------------------|------------|--------|---|--|---|
| DC 12.01 | 4 - series | 05/96→ | S38397-00 ⑬ ⑯ 551 356 → 6 119 599 SSS, 8 004 779 SLA D34262-00 551 363 → 6 119 599 SSS, 8 004 779 SLA D34261-00 ⑯ 6x 501032 → 6119600→ R34493-00 ③ 6x 1 862 376 +1 328 995 (1x) | H50300-00 6x 1 444 941 133 Ø → 6 119 599 SSS, 8 004 779 SLA H80348-00 6x 1 468 555 133 Ø 1 mm → 6119600→ | T38281-00 6x 1 852 442 (6x) |
| DSC 12.01 DSC 12.02 | 4 - series | 05/95→ | S38397-00 ⑬ ⑯ 551 356 → 6 119 599 SSS, 8 004 779 SLA S80348-00 ⑫ ⑬ ⑯ 551 386 +1 392 708 → 6 119 600 SSS, 8 004 780 SLA→ D34262-00 551 363 → 3 125 406 SLA, 5 740 732 SSS→ → 6 119 599 SSS, 8 004 779 SLA D38442-00 ⑯ 551 350 → 3 125 405 SLA, 5 740 731 SSS D34011-00 ⑯ 6x 551350 → 6119599 D38443-00 ⑯ 1 765 974 → 6 119 600 SSS, 8 004 780 SLA→ R34493-00 ③ 6x 1 862 376 +1 328 995 (1x) | H50300-00 6x 1 444 941 133 Ø → 6119599 H80348-00 6x 1 468 555 133 Ø 1 mm → 6 119 600 SSS, 8 004 780 SLA→ | T38281-00 6x 1 852 442 (6x) |

③ juego de juntas para camisa de cilindro / Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра
 ⑯ con anillos para camisa de cilindro / mit Zylindertaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров



| X53925-01 6x 1 411 851 → 5731560→ X53928-01 6x 1 401 984 → 5731560→ X53926-01 U 6x 1 542 104 X53927-01 6x 1 414 422 | P76890-00 24x 1 920 860 | X59444-01 6x 1 516 474 | X59443-01 6x 1 309 051 | E38282-00 551 351 | P77750-01 K ← 1 392 708 120x140x12 A SL RD PTFE FPM P77749-01 K → 1 433 183 145x175x13 A SL PTFE FPM |
|--|--|--------------------------------------|--------------------------------------|------------------------------|---|
| X53831-01 U 6x 1367027 NBR → 6119599 X53832-01 O 6x 1367028 NBR → 6119599 X53926-01 U 6x 1 542 104 → 3 125 406 SLA, 5 740 732 SSS→ X53927-01 O 6x 1 414 422 → 3 125 406 SLA, 5 740 732 SSS→ | N93148-00 1 920 860 (24x) P76890-00 24x 1 920 860 | X59444-01 6x 1 516 474 | X59443-01 6x 1 309 051 | E38282-00 551 351 | P77750-01 K ← 1 392 708 120x140x12 A SL RD PTFE FPM P77749-01 K → 1 433 183 145x175x13 A SL PTFE FPM |

⑯ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une testate / per una testata / для головки блока цилиндров
 O arriba / oben / top / haut / superiore / сверху
 U debajo / unten / bottom / bas / inferiore / снизу



| SCANIA | | | | | |
|--|------------------|--------|--|---|--|
| DSC 12.05 | 4-series | 05/96→ | S38397-00 551 356 →6 119 599 SSS, 8 004 779 SLA S80348-00 551 386 +1 392 708 →6 119 600 SSS, 8 004 780 SLA→ D34262-00 551 363 →6 119 599 SSS, 8 004 779 SLA D34768-00 550 469 →6 119 600 SSS, 8 004 780 SLA→ R34493-00 1 862 376 +1 328 995 (1x) | H50300-00 1 444 941 133 Ø 1mm →6 119 599 SSS, 8 004 779 SLA H80348-00 1 468 555 133 Ø 1mm →6 119 600 SSS, 8 004 780 SLA→ | T38281-00 1 852 442 (6x) |
| DC 12.06 DC 12.09 DC 12.10 DC 12.11 DC 12.12 DC 12.13 DC 12.14 DC 12.15 DC 12.17 DC 12.18 DC 12.22 DC 12.23 DC 12.24 DC 12.26 | P,G,R,T - series | 03/04→ | D38280-00 ⑱ 1 725 112 | H80348-00 1 468 555 133 Ø 1 mm | T38281-00 1 852 442 (6x) |
| DC 13.05 DC 13.06 DC 13.07 DC 13.08 DC 13.10 DC 13.11 | P,G,R,T - series | 07/04→ | D40736-00 ⑱ 1 925 824 R38717-00 ③ 2 188 199 +1 730 424 | H40736-00 1 892 766 136 Ø 1,1 mm | T38281-00 1 852 442 (6x) |
| D 14 | | | S36898-00 ⑫ ⑬ 551 370 01/80→ S38374-00 ⑬ ⑯ 550 184 D34282-00 ⑱ 8x 550 214 R31282-00 ③ 8x | H03298-00 1 313 459 147 Ø | |

③ juego de juntas para camisa de cilindro / Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра

⑱ con anillos para camisa de cilindro / mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров



| X53926-10 U 6x X53928-01 O 6x 1 401 984 →5 731 918 SSS, 3 123 646 SLA X53927-01 O 6x 1 414 422 →5 731 919 SSS, 3 123 647 SLA→ →6 119 599 SSS, 8 004 779 SLA Reihenpumpe X53925-01 O 6x 1 411 851 →5 731 919 SSS, 3 123 647 SLA→ PDE | N93148-00 1 920 860 (24x) P76890-00 1 920 860 | X59444-01 1 516 474 6x | X59443-01 1 309 051 6x | E38282-00 551 351 | P77750-01 K ← 1 392 708 120x140x12 A SL RD PTFE FPM P77749-01 K → 1 433 183 145x175x13 A SL PTFE FPM |
|---|--|---|---|--|---|
| X59445-01 U 6x 1 449 542 X59446-01 O 6x 1 505 366 | N93148-00 1 920 860 (24x) N93148-01 1 920 860 (4x) P76890-00 1 920 860 | X59444-01 1 516 474 6x | X59443-01 1 309 051 6x | E38282-00 551 351 | P77750-01 K ← 1 392 708 120x140x12 A SL RD PTFE FPM P77749-01 K → 1 433 183 145x175x13 A SL PTFE FPM |
| X59918-01 U 6x 1 772 475 X59919-01 O 6x 1 779 110 | N93148-01 1 920 860 (4x) P76890-00 1 920 860 | X59920-01 1 519 724 6x | X59921-01 1 530 112 6x | X59922-01 1 520 507 X59923-01 1 888 065 | P77851-01 K ← 1 520 998 135x153x13 AB RD PTFE P77850-01 K → 1 786 563 155x185x13 A SL LD PTFE |
| X03299-01 1 305 959 NBR | | X03311-01 371 510 8x | X03323-01 369 276 8x | E38466-00 551 438 X54010-01 170 700 | P76339-01 K ← 338 643 80x100x12 RD FPM P76422-01 K → 231 938 130x160x12 LD FPM |

⑱ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров

O arriba / oben / top / haut / superiore / сверху

U debajo / unten / bottom / bas / inferiore / снизу



| SCANIA | | | | | |
|---|--------------------------------|--------|---|---|---|
| DS 14 DS 14 LB 05 DS 14 LB 08 DS 14.01 DS 14.01 L 01 DS 14.06 DS 14.06 L 01 DS 14.07 | | | S38374-00 ⑬ ⑰ 550 184 →12/79 S31282-00 ⑬ 550 188 →01/80→ S38375-00 ⑬ ⑰ →01/80→ D34282-00 ⑱ 550 214 R38492-00 ③ 8x 1 312 934 (2x) +1 302 828 (1x) | H03298-00 8x 1 313 459 147 Ø | |
| DSC 14.01 DSC 14.02 DSC 14.03 DSC 14.03 L07 DSC 14.04 DSC 14.05 DSC 14.06 DSC 14.07 L 01 DSC 14.08 DSC 14.09 DSC 14.10 DSC 14.16 | 3 - series | 01/88→ | S31282-00 ⑬ 550 188 S38375-00 ⑬ ⑰ D34282-00 ⑱ 550 214 R38492-00 ③ 8x 1 312 934 (2x) +1 302 828 (1x) | H03298-00 8x 1 313 459 147 Ø | |
| DSC 14.13 DSC 14.15 | 4 - series | 09/95→ | S36898-00 ⑫ ⑬ 551 370 D34282-00 ⑱ 550 214 R38492-00 ③ 8x 1 312 934 (2x) +1 302 828 (1x) | H03298-00 8x 1 313 459 147 Ø | |
| DC 16.01 DC 16.02 DC 16.04 DC 16.05 DC 16.06 DC 16.08 DC 16.09 DC 16.17 DC 16.18 DC 16.19 | P,G,R,T - series 4 - series | 05/00→ | S38755-00 ⑫ ⑬ 551 387 +1 542 104 (8x) +1 505 366 (8x) →09/03 D34768-00 ⑱ 550 469 →1018724SSS D38280-00 ⑱ 1 725 112 →1018725SSS→ R34493-00 ③ 8x 1 862 376 +1 328 995 (1x) | H80348-00 8x 1 468 555 133 Ø 1 mm | T38281-00 8x 1 852 442 (6x) |

③ juego de juntas para camisa de cilindro / Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра

⑱ con anillos para camisa de cilindro / mit Zylinderlaufbuchsenringe / with cylinder liner rings / avec joints de chemises de cylindre / con anelli tenuta canna cilindro / с прокладками гильз цилиндров

⑰ sin anillos de camisa de cilindro / ohne Zylinderlaufbuchsenringe / without cylinder liner rings / sans joints de chemises de cylindre / senza anelli tenuta canna cilindro / без прокладок гильз цилиндров



| X03299-01 8x 1 305 959 NBR | | X03311-01 8x 371 510 | X03323-01 8x 369 276 | E38466-00 551 438 | P76339-01 K ← 338 643 80x100x12 RD FPM P76422-01 K → 231 938 130x160x12 LD FPM |
|--|--|--------------------------------------|--------------------------------------|--------------------------------|---|
| X03299-01 8x 1 305 959 NBR | | X03311-01 8x 371 510 | X03323-01 8x 369 276 | E38466-00 551 438 | P76339-01 K ← 338 643 80x100x12 RD FPM P76422-01 K → 231 938 130x160x12 LD FPM |
| X03299-01 8x 1 305 959 NBR | P76891-00 16x 1 304 293 | X03311-01 8x 371 510 | X03323-01 6x 369 276 | X54010-01 170 700 | P76339-01 K ← 338 643 80x100x12 RD FPM P76422-01 K → 231 938 130x160x12 LD FPM |
| X53925-01 0 8x 1 411 851 →1018724SSS | N93148-01 8x 1 920 860 (4x) P76890-00 32x 1 920 860 | X59444-01 8x 1 516 474 | X59443-01 8x 1 309 051 | X54828-01 1 744 775 | P77750-01 K ← 1 392 708 120x140x12 A SL RD PTFE FPM P77749-01 K → 1 433 183 145x175x13 A SL PTFE FPM |
| X53926-01 U 8x 1 542 104 →1018724SSS | | | | | |
| X59445-01 U 8x 1 449 542 →1018725SSS→ | | | | | |
| X59446-01 0 8x 1 505 366 →1018725SSS→ | | | | | |

⑱ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une testate / per una testata / для головки блока цилиндров

← arriba / oben / top / haut / superiore / сверху

→ debajo / unten / bottom / bas / inferiore / снизу



| SCANIA | | | | | |
|--|------------------|--------|--|---|---|
| DC 16.03 DC 16.04 DC 16.05 DC 16.06 DC 16.08 DC 16.09 DC 16.17 DC 16.18 DC 16.19 DC 16.21 | P,G,R,T - series | 01/04→ | D34768-00 ⑬ 550 469 → 1018724SSS D38280-00 ⑬ 1 725 112 → 1018725SSS→ R34493-00 ⑬ 8x 1 862 376 +1 328 995 (1x) | H80348-00 8x 1 468 555 133 Ø 1 mm | T38281-00 8x 1 852 442 (6x) |

NEW

⑬ juego de juntas para camisa de cilindro / Dichtsatz Zylinderlaufbüchse / gasket set cylinder liner / ensemble de joints chemise de cylindre / guarnizioni camicia cilindro / комплект прокладок гильзы цилиндра

⑬ para una culata de cilindro / für einen Zylinderkopf / for one cylinder head / pour une culasse / per una testata / для головки блока цилиндров



| X53925-01 0 8x 1 411 851 → 1018724SSS X53926-01 U 8x 1 542 104 → 1018724SSS X59445-01 U 8x 1 449 542 → 1018725SSS→ X59446-01 0 8x 1 505 366 → 1018725SSS→ | N93148-01 8x 1 920 860 (4x) P76890-00 32x 1 920 860 | X59444-01 8x 1 516 474 | X59443-01 8x 1 309 051 | X54828-01 1 744 775 | P77750-01 K ← 1 392 708 120x140x12 A SL RD PTFE FPM P77749-01 K → 1 433 183 145x175x13 A SL PTFE FPM |
|--|--|--------------------------------------|--------------------------------------|-----------------------------------|---|

0 arriba / oben / top / haut / superiore / сверху

U debajo / unten / bottom / bas / inferiore / снизу

