





MINI

MINI

 Code	
<b>0-9</b>	
1ND .....	956
1ND-TV .....	956
9HZ (DV6TED4) .....	960
<b>N</b>	
N 12 B 14 A .....	956
N 12 B 16 A .....	956
N 14 B 16 A .....	956
N 14 B 16 C .....	956
N 16 B 16 A .....	958
N 18 B 16 A .....	958
N 18 B 16 C .....	958
N 47 C 16 A .....	958
N 47 C 20 A .....	960
<b>W</b>	
W 10 B 16 A .....	958
W 11 B 16 A .....	960

 Code	
--	---

 Code	
--	--

 Code	
--	---

 Code	
--	---

 Code	
--	---

 Code	
--	---

 Code	
--	---

MINI						
Ltr.						
1,4 N 12 B 14 A	55-70 kW (75-95 PS)	ONE	03/07→	<b>D40616-00</b> <sup>(12) (19)</sup> 11 12 0 427 689 +11 12 7 570 859 <b>D40616-01</b> <sup>(12)</sup> 11 12 0 427 689 	<b>H40616-00</b> 11 12 7 570 859 78 Ø 0,9 mm MLS <b>H40616-10</b> ✗ 11 12 7 570 860 78 Ø 1,2 mm MLS 	<b>T40616-00</b> 11 12 7 560 274 
1,4 1ND 1ND-TV	55-65 kW (75-88 PS)	ONE D	06/03-09/06	<b>S36926-00</b> <sup>(12) (13)</sup> 11 11 7 790 935 1 →09/05 	<b>H01827-00</b> 11 12 7 790 954 0,95 mm 3 MLS 1 →09/05 <b>H11827-10</b> 11 12 7 790 955 1 mm 4 MLS 1 →09/05 <b>H21827-20</b> 11 12 7 790 956 74,6 Ø 1,05 mm 5 MLS 1 →09/05 	
1,6 N 12 B 16 A	85-88 kW (115-120 PS)	COOPER	10/06→	<b>D40616-00</b> <sup>(12) (19)</sup> 11 12 0 427 689 +11 12 7 570 859 <b>D40616-01</b> <sup>(12)</sup> 11 12 0 427 689 	<b>H40616-00</b> 11 12 7 570 859 78 Ø 0,9 mm MLS <b>H40616-10</b> ✗ 11 12 7 570 860 78 Ø 1,2 mm MLS 	<b>T40616-00</b> 11 12 7 560 274 
1,6 N 14 B 16 A N 14 B 16 C	120-155 kW (163-211 PS)	COOPER S JOHN COOPER WORKS	10/06→	<b>D40634-00</b> <sup>(12) (19)</sup> 11 12 0 427 690 +11 12 7 560 276 <b>D40634-01</b> <sup>(12)</sup> 11 12 0 427 690 	<b>H40634-00</b> 11 12 7 595 138 78 Ø 0,9 mm MLS <b>H40634-10</b> ✗ 11 12 7 586 908 78 Ø 1,3 mm MLS 	<b>T40616-00</b> 11 12 7 560 274 

<sup>(19)</sup> con junta de culata MLS / mit Mehrlagen-Zylinderkopfdichtung / with multilayer cylinder head gasket / avec joint de culasse multifeuilles / con guarnizione testata multistrato / с многослойной прокладкой головки блока цилиндров



<b>V38326-00</b> 11 12 7 567 877 	<b>N93158-00</b> 11 34 0 033 950 <b>P93158-00</b> 16x 	<b>M59582-00</b> 11 61 7 528 173 (4x) 	<b>X59642-01</b> ✗ 18 40 7 563 111 	<b>70-31414-10</b> 	<b>P77789-01</b> K ← 11 11 7 568 264 61x75x8 A SL RD <b>P77670-01</b> K → 11 11 7 568 263 85x105x8 A SL LD
<b>X83095-01</b> 11 12 7 792 374 	<b>N92102-00</b> 11 34 7 791 053 (8x) 		<b>X81911-01</b> 11 65 7 791 076 	<b>70-31414-10</b> 	<b>P77413-01</b> K ← 11 14 7 790 960 38x50x6 A SL RD NBR <b>P77414-01</b> K → 11 14 7 790 962 75x107x8 A SL LD MVQ
<b>V38326-00</b> 11 12 7 567 877 	<b>N93158-00</b> 11 34 0 033 950 <b>P93158-00</b> 16x 	<b>M59582-00</b> 11 61 7 528 173 (4x) 	<b>X59642-01</b> ✗ 18 40 7 563 111 	<b>70-31414-10</b> 	<b>P77789-01</b> K ← 11 11 7 568 264 61x75x8 A SL RD <b>P77670-01</b> K → 11 11 7 568 263 85x105x8 A SL LD
<b>V38327-00</b> 11 12 7 572 851 	<b>N93158-00</b> 11 34 0 033 950 <b>P93158-00</b> 16x 	<b>M59583-00</b> 11 61 7 528 340 (4x) 	<b>X59643-01</b> ✗ 11 62 7 626 106 	<b>70-31414-10</b> 	<b>P77789-01</b> K ← 11 11 7 568 264 61x75x8 A SL RD <b>P77670-01</b> K → 11 11 7 568 263 85x105x8 A SL LD



<b>MINI</b>						
Ltr.						
1,6 N 16 B 16 A <b>[NEW]</b>	03/09→	55-90 kW (75-122 PS) COOPER ONE	<b>D38326-00</b> 	<b>H40616-00</b> ✗ 11 12 7 570 859 78 Ø 0,9 mm MLS <b>H40616-10</b> ✗ 11 12 7 570 860 78 Ø 1,2 mm MLS 	<b>T40616-00</b> 11 12 7 560 274 	
1,6 N 18 B 16 A N 18 B 16 C <b>[NEW]</b>	03/10→	120-160 kW (163-218 PS) COOPER S COOPER S ALL4 COOPER S JWC JOHN COOPER WORKS	<b>D38785-02</b> 	<b>H40634-00</b> ✗ 11 12 7 595 138 78 Ø 0,9 mm MLS <b>H40634-10</b> ✗ 11 12 7 586 908 78 Ø 1,3 mm MLS 	<b>T40616-00</b> 11 12 7 560 274 	
1,6 N 47 C 16 A <b>[NEW]</b>	03/10→	66-82 kW (90-112 PS) COOPER D COOPER D ALL4 ONE D		<b>H40755-00</b> 11 12 8 509 149 78,7 Ø 0,95 mm MLS <b>H40755-10</b> 11 12 8 509 150 78,7 Ø 1,05 mm MLS <b>H40755-20</b> 11 12 8 509 151 78,7 Ø 1,15 mm MLS 	<b>T38791-00</b> 11 12 8 513 128 	
1,6 W 10 B 16 A	06/01-11/07	66-85 kW (90-116 PS) COOPER ONE	<b>D36626-00</b> ⑫ ⑬ 11 12 7 508 545 +11 12 7 508 543 <b>D37221-00</b> ⑫ 11 12 7 508 545  <b>B36626-00</b> ⑬ 11 11 7 508 534 ① →07/04 <b>B36925-00</b> ⑬ 11 11 0 147 562 ① 08/04→	<b>H80433-00</b> 11 12 7 508 543 78 Ø 0,65 mm MLS <b>H80433-10</b> ✗ 11 12 7 508 544 78 Ø 0,95 mm MLS 	<b>T80433-00</b> 07 13 1 487 226 	

⑫ junta, carcasa de colector de admisión / Dichtung Ansaugkrümmergehäuse / gasket, intake manifold housing / joint d'étanchéité, carter de collecteur d'admission / guarnizione, alloggiam. collettore aspirazione / прокладка, корпус впускного коллектора



<b>V38326-00</b> 11 12 7 567 877 	<b>N93158-00</b> 11 34 0 033 950 <b>P93158-00</b> 16x	<b>M59582-00</b> 11 61 7 528 173 (4x) <b>X71037-01</b> ⑩ 11 61 7 528 174 	<b>X59642-01</b> ✗ 18 40 7 563 111 	<b>70-31414-10</b> 	<b>P77789-01</b> K ← 11 11 7 568 264 61x75x8 A SL RD <b>P77670-01</b> K → 11 11 7 568 263 85x105x8 A SL LD
<b>V38785-00</b> 11 12 7 582 400 	<b>N93158-00</b> 11 34 0 033 950	<b>M59583-00</b> 11 61 7 528 340 (4x) <b>X71076-01</b> ⑩ 11 61 7 528 341	<b>X59643-01</b> ✗ 11 62 7 626 106 	<b>70-31414-10</b> 	<b>P77789-01</b> K ← 11 11 7 568 264 61x75x8 A SL RD <b>P77670-01</b> K → 11 11 7 568 263 85x105x8 A SL LD
<b>V38782-00</b> 11 12 8 511 814 	<b>N93136-00</b> <b>P76845-00</b> 16x	<b>X71038-01</b> 11 61 8 507 332 4x 		<b>70-31414-10</b> 	<b>P77356-01</b> K ← 11 11 7 802 665 55x68x8 RD FPM <b>P77674-01</b> K → 11 14 7 797 490 90x104x8,5 LD FPM
<b>V36626-00</b> 11 12 1 485 838 +11 12 7 513 066 (4x) 	<b>N92103-00</b> 11 34 0 029 571 <b>P76774-00</b> 11 12 1 487 220 16x	<b>X87413-01</b> 11 61 7 513 044 4x 	<b>X81399-01</b> 11 62 1 174 968 	<b>X54710-01</b> 11 13 1 487 221 NBR 	<b>P77331-01</b> K ← 11 11 1 485 171 32x45x6 A SL RD ACM <b>P77332-01</b> K → 11 11 1 492 244 90x111x9,5 A SL LD ACM

⑩ con junta de culata MLS / mit Mehrlagen-Zylinderkopfdichtung / with multilayer cylinder head gasket / avec joint de culasse multifeuilles / con guarnizione testata multistrato / с многослойной прокладкой головки блока цилиндров



MINI						
Ltr.						
1,6 W 11 B 16 A	120-160 kW (163-218 PS)	COOPER S JOHN COOPER WORKS	03/02-11/07	<b>D36925-00</b> ⑫ 11 12 0 147 561 +11 12 7 508 543 <b>D37221-01</b> ⑫ 11 12 0 147 561  <b>B36925-00</b> ⑬ 11 11 0 147 562	<b>H80433-00</b> 11 12 7 508 543 78 Ø 0,65 mm MLS <b>H80433-10</b> ✗ 11 12 7 508 544 78 Ø 0,95 mm MLS 	<b>T80433-00</b> 07 13 1 487 226 
1,6 9HZ (DV6TED4)	66-80 kW (90-109 PS)	COOPER D ONE D	03/07→	<b>S36730-00</b> ⑫ ⑬  <b>D36730-00</b> ⑫  <b>B36724-00</b> ⑬	<b>H08130-00</b> 11 12 7 805 931 76 Ø 1,25 mm 4 MLS <b>H08130-10</b> 11 12 7 805 932 76 Ø 1,3 mm 5 MLS <b>H08130-20</b> 11 12 7 805 933 76 Ø 1,35 mm 3 MLS <b>H18130-30</b> 11 12 7 805 934 76 Ø 1,4 mm 6 MLS <b>H18130-40</b> 11 12 7 805 935 76 Ø 1,45 mm 7 MLS 	<b>T08130-00</b> 11 12 7 805 936 
2,0 N 47 C 20 A <b>[NEW]</b>	82-105 kW (112-143 PS)	COOPER D COOPER D ALL4 COOPER SD COOPER SD ALL4	02/11→	<b>H40751-00</b> 11 12 8 509 146 84,7 Ø 1,45 mm 1 MLS <b>H40751-10</b> 11 12 8 509 147 84,7 Ø 1,55 mm 2 MLS <b>H40751-20</b> 11 12 8 509 148 84,7 Ø 1,65 mm 3 MLS 	<b>T38791-00</b> 11 12 8 513 128 	



<b>V36626-00</b> 11 12 1 485 838 +11 12 7 513 066 (4x) 	<b>N92103-00</b> 11 34 0 029 571 <b>P76774-00</b> 16x 11 12 1 487 220 	<b>X89142-01</b> 11 61 1 173 671 	<b>X81399-01</b> 11 62 1 174 968 	<b>X54710-01</b> 11 13 1 487 221 NBR 	<b>P77331-01</b> K ← 11 11 1 485 171 32x45x6 A SL RD ACM <b>P77332-01</b> K → 11 11 1 492 244 90x111x9,5 A SL LD ACM
<b>X83038-01</b> 11 12 7 805 927 NBR 	<b>N93118-00</b> 11 34 7 805 970 (16x) <b>P76780-00</b> 16x 11 34 7 805 970 	<b>W88321-01</b> 4x 11 61 7 805 028  <b>W88322-01</b> 4x 11 61 7 805 029 	<b>X81696-01</b> 11 62 7 806 008 	<b>70-31414-10</b> 	<b>P77361-01</b> K ← 11 11 7 805 945 40x55x6,4 A SL RD PTFE ACM <b>P77362-01</b> K → 11 11 7 805 946 85x105x8,8 A SL LD PTFE ACM <b>P77668-01</b> N 11 31 7 805 964 27x47x7 A SL RD PTFE ACM
<b>V38782-00</b> 11 12 8 511 814 	<b>N93136-00</b> <b>P76845-00</b> 16x 	<b>X71038-01</b> 4x 11 61 8 507 332 	<b>X82358-01</b> 2x →02/13  <b>X71045-01</b> 	<b>70-31414-10</b> 	<b>P77356-01</b> K ← 11 11 7 802 665 55x68x8 RD FPM <b>P77674-01</b> K → 11 14 7 797 490 90x104x8,5 LD FPM

